

2026/2027

swimming pools

apegrupp

apegrupp

swimming pools



/resistant by nature/

/resistente por naturaleza/

swimming pools

3

Pools have characteristics that require a series of solutions unthought of in other architectural fields. The continuous contact with water, the crossing of bare feet and the existing complex regulatory framework related to hygiene and safety demand design competences obtained through a specific experience in the field. That is why our ceramic collections are composed of porcelain pieces and special extruded stoneware pieces that allow us to create public and private pool projects, providing with multiple solutions and making the interior of our spaces coexist perfectly with the pool.

Las características de las piscinas requieren una serie de soluciones que no se plantean en otros ámbitos arquitectónicos. El contacto continuo con el agua, el tránsito con pies descalzos y el complejo entramado normativo existente relativo a la higiene y la seguridad exigen competencias proyectuales que se obtienen mediante una experiencia específica en el campo. Por este motivo nuestras colecciones cerámicas están compuestas de piezas de porcelánico y piezas especiales de gres extrusionado que nos permiten realizar proyectos de piscinas de ámbito público y privado aportando diversas soluciones y haciendo que el interior de nuestros espacios convivan a la perfección con la piscina.

A UNIQUE EXPERIENCE

2026

What is the pool of
your dreams like?

When conceiving the construction of a pool, we must take into account that it is a fun and recreational area with maximum safety. That is why we must have pieces that not only guarantee quality and security, but also provide the swimming pool with a touch of beauty.
Limitless, with sights to the sea, in the middle of a garden, in a spa... No matter what the swimming pool of your dreams is like, all pools are a place to enjoy yourself, do some sport or relax. We take this into account when elaborating our product offer.

Cuando se proyecta la construcción de una piscina se debe tener en cuenta que es un área de diversión y esparcimiento con la máxima seguridad. Es por ello que se debe contar con piezas que garanticen la calidad y seguridad, pero también que aporten un plus de belleza.
Sin límites, con vistas al mar, en medio del jardín, en un spa, sea cuál sea y cómo sea la piscina de tus sueños, todas ellas son un lugar en el que disfrutar, hacer deporte o desconectar. Tenemos esto en cuenta a la hora de elaborar nuestros productos.

/the pool of your dreams/
/la piscina de tus sueños/

swimming pools

5

¿Cómo es la piscina
de tus sueños?



APE offers two types of systems for the construction of private pools: the traditional pool with skimmers and the overflow pool.

APE ofrece dos tipos de sistemas para la construcción de piscinas privadas: la piscina tradicional con skimmer y la piscina de coronación desbordante.



The traditional pool

La piscina tradicional

Basic, or traditional, pools with skimmer system are those in which the water level is 20 centimeters below the edges and can have rectangular, irregular or mixed form.

La piscina básica o tradicional con sistema skimmer es aquella en la que el nivel del agua se sitúa a unos 20 centímetros por debajo de los bordes y puede tener forma rectangular, irregular o mixta.



The overflow pool

La piscina desbordante.

Infinity pools have the water at the same level as the superior part of the terrace. Water laps at and spills over the pool's perimeter edge, obtaining a beautiful, attractive and unique visual effect.

La piscina desbordante es la que tiene el agua al mismo nivel que la parte superior de la playa. El agua rebosa el borde perimetral de la piscina consiguiendo un gran atractivo estético y un efecto visual inigualable.

A porcelain stoneware pool

Una piscina de gres porcelánico

APE's porcelain satisfies the criteria of an innovative architecture and joins aesthetics with advanced technological performances.

It is anti-slip and resistant to abrasion, fire and contact with water, as well as chemical products. It is, therefore, the ideal material for public and residential environments. Moreover, it guarantees a perfect inalterability to the passing of time and, thanks to digital technology, has multiple designs inspired by marble, wood, stone or concrete, which respond to any aesthetic need.

El porcelánico de APE satisface los criterios de una arquitectura innovadora y aún a estética con altas prestaciones tecnológicas.

Es antideslizante, resistente a la abrasión, al fuego y al contacto con el agua así como a los productos químicos. Es, por tanto, el material idóneo para ambientes residenciales y públicos. Además, garantiza una óptima inalterabilidad al paso del tiempo y gracias a la tecnología digital cuenta con diseños variados inspirados en el mármol, las maderas, piedras o cementos que responden a cualquier necesidad estética.

Color will my pool water

El color del agua de mi piscina

Basically, water absorbs long light wavelengths - red, orange or yellow - and reflects short light wavelengths, such as blue. That bouncing color is what you actually see in water. It is therefore an optical effect that depends on the light, so the color changes depending on whether the pool is indoors or outdoors, whether it is day or night, or whether it is lit up.

Básicamente el agua absorbe las longitudes de luz de onda larga — rojo, naranja o amarillo — y refleja las de onda corta, como los azules. Ese color que rebota es precisamente el que se ve en el agua. Se trata pues de un efecto óptico que depende de la luz, por lo que el color varía en función de si la piscina es interior o exterior, si es de día o de noche o si está iluminada.

A extruded stoneware pool

Una piscina de gres extruido

The porcelain offer is complemented with a series of extruded stoneware ceramic pieces. Pieces that resolve both aesthetic and, technically, any type of environment. They stand out for their quality, durability and variety. They also are easy to maintain and resistant to chemical agents. In addition, they are highly anti-slip, since they are also conceived for covering the swimming pool perimeter.

Top pieces, such as mesh strainers, flashings or steps, are placed here. These pieces constitute a perfect covering both for the swimming pool tank and perimeter of public and private spaces.

La oferta de porcelánico se complementa con una serie de piezas cerámicas en gres extruido. Piezas que solucionan tanto estética como técnicamente cualquier tipo de entorno y que se caracterizan por su calidad y durabilidad, variedad, fácil mantenimiento y resistencia a los agentes químicos. Además al ser piezas pensadas también para recubrir la playa de la piscina son altamente antideslizantes.


Se sitúan aquí piezas de coronación, rejillas, vierteaguas, peldaño... piezas que constituyen un recubrimiento ideal para el vaso como la playa de la piscina de espacios hídricos públicos o privados.

White shades, such as white ceramic marble, achieve an intense Caribbean blue that will give you a fresh, tropical look. In contrast, intense brown and earth shades will produce a very interesting greenish effect. Light beiges, typical of natural ceramic stone, can help us create turquoise shades. And with grays, as they are neutral, an intense and dark blue shade is achieved. In addition, grays help to conceal the dust and impurities that accumulate at the bottom of the pool.

Los tonos blancos, como el mármol blanco cerámico, consiguen un azul intenso caribeño que le dará un aspecto tropical y fresco. Por el contrario los tonos marrones y tierra intensos harán un efecto verdoso muy interesante. Los beige claros propios de la piedra natural cerámica, nos pueden ayudar a crear tonos turquesas. Y con los grises, al ser neutros, se consigue un tono azul intenso y oscuro. Además los grises ayudan a disimular el polvo e impurezas que se acumulan en el fondo de la piscina.

Glass mosaic
Glass mosaic

Con el mosaico vítreo aunamos diseño, coherencia estética y altas prestaciones
Con el mosaico vítreo aunamos diseño, coherencia estética y altas prestaciones



El revestimiento del vaso de piscina mediante mosaico vítreo constituye una solución de altas prestaciones técnicas, especialmente indicada para instalaciones en contacto permanente con agua tratada.

Se compone de pequeñas teselas de vidrio fundido, de elevada resistencia mecánica y absorción de agua prácticamente nula, lo que garantiza una impermeabilidad óptima del sistema que desde el punto de vista higiénico-sanitario, esta superficie no porosa limita la adherencia de microorganismos, cal e incrustaciones, facilitando el mantenimiento y reduciendo la necesidad de tratamientos intensivos.

A nivel estético, el mosaico vítreo ofrece una amplia gama de tonalidades y acabados, posibilitando la creación de efectos cromáticos, degradados y composiciones específicas adaptadas a cada proyecto ya que, el material se desarrolla con gráficas, colores y acabados alineados con colecciones cerámicas de referencia, lo que permite establecer un lenguaje visual unificado en todo el proyecto. De este modo, es posible integrar piscina, terraza e interior con una continuidad estética natural y elegante, reforzando la coherencia global del diseño arquitectónico.

El formato en teselas premontadas sobre malla flexible facilita una adaptabilidad total a geometrías complejas, permitiendo su correcta instalación en superficies curvas, escaleras, cambios de plano y elementos singulares del vaso. Esta versatilidad garantiza acabados precisos en cualquier tipología de piscina y posibilita el desarrollo de soluciones de diseño personalizadas sin comprometer la uniformidad del conjunto.

El revestimiento del vaso de piscina mediante mosaico vítreo constituye una solución de altas prestaciones técnicas, especialmente indicada para instalaciones en contacto permanente con agua tratada.

Se compone de pequeñas teselas de vidrio fundido, de elevada resistencia mecánica y absorción de agua prácticamente nula, lo que garantiza una impermeabilidad óptima del sistema que desde el punto de vista higiénico-sanitario, esta superficie no porosa limita la adherencia de microorganismos, cal e incrustaciones, facilitando el mantenimiento y reduciendo la necesidad de tratamientos intensivos.

A nivel estético, el mosaico vítreo ofrece una amplia gama de tonalidades y acabados, posibilitando la creación de efectos cromáticos, degradados y composiciones específicas adaptadas a cada proyecto ya que, el material se desarrolla con gráficas, colores y acabados alineados con colecciones cerámicas de referencia, lo que permite establecer un lenguaje visual unificado en todo el proyecto. De este modo, es posible integrar piscina, terraza e interior con una continuidad estética natural y elegante, reforzando la coherencia global del diseño arquitectónico.

El formato en teselas premontadas sobre malla flexible facilita una adaptabilidad total a geometrías complejas, permitiendo su correcta instalación en superficies curvas, escaleras, cambios de plano y elementos singulares del vaso. Esta versatilidad garantiza acabados precisos en cualquier tipología de piscina y posibilita el desarrollo de soluciones de diseño personalizadas sin comprometer la uniformidad del conjunto.



apegrupo

“APE Grupo looks for the best solution and the highest satisfaction of the customer, through excellent service and assistance and unique flexibility and adaptability.

We stand out for always accompanying the customer, trying to understand and making his or her concerns ours, from the technical details to the most human aspects.

Always in the avant-garde of the design and the product, we never lose sight of the tradition and the personalized behavior of each market and customer.

APE Grupo is an unique company, and the atmosphere and proximity that we create with our customers make us irreplaceable and push us to constantly improve in search of excellence.”

“APE Grupo busca la mejor solución y la máxima satisfacción del cliente a través de un servicio y una atención excelente, así como una flexibilidad única y una enorme capacidad de adaptación. Nos distinguimos por estar siempre al lado del cliente, intentando comprender y hacer nuestras sus inquietudes, desde las competencias más técnicas hasta los aspectos más humanos. Siempre a la vanguardia del diseño y el producto, no perdemos de vista la tradición y el trato personalizado de cada mercado, de cada cliente. APE Grupo es una empresa única, y la atmósfera y cercanía que creamos con nuestros clientes nos hacen insustituibles y nos impulsan a una mejora constante en la búsqueda de la excelencia”.

THE PERFECT MIX

A window onto
innovation

APE Grupo approaches design as a constant exploration – an attitude that combines creative sensitivity, technical rigour and a deep admiration for architecture and materiality. A continuous search for new textures, formats and visual languages, capable of inspiring professionals around the world and transforming spaces into true experiences.

APE Grupo vive el diseño como una exploración constante, una actitud que combina sensibilidad creativa, rigor técnico y una profunda admiración por la arquitectura y la materia. Una búsqueda continua de nuevas texturas, formatos y lenguajes capaces de inspirar a profesionales de todo el mundo y de convertir los espacios en auténticas experiencias.

Una ventana a la
innovación



A passion for
creation

Pasión
por crear




APE Grupo has its own in-house design department in Spain and Italy, allowing us to respond to the specific trends of each market and develop tailor-made products.

Through dedicated coolhunting work – supported by regular attendance and participation in leading international fairs such as Salone del Mobile in Milan, Maison&Objet in Paris, London Design Festival in London, Casa Decor in Madrid and Cersaie in Bologna, among others – we identify the most relevant trends currently shaping interior design and architecture.

APE Grupo cuenta con su propio departamento de diseño interno en España e Italia, lo que nos permite adaptarnos a las tendencias de cada mercado y desarrollar productos a medida.

Gracias a una labor previa de coolhunting, basada en la asistencia y participación en ferias de referencia como el Salone del Mobile de Milán, Maison&Objet de París, London Design Festival de Londres, Casa Decor de Madrid o Cersaie de Bolonia, entre otras, identificamos las líneas más relevantes que marcan actualmente el rumbo del interiorismo y la arquitectura.



INSPIRATION	COLLECTION	AVAILABLE COLORS				PAGE
CEMENT	WABI SABI					 112
	WORK					 120
COTTO	ANTICO CASALE					 28
	SINTRA					 154
CHROMATIC	CAPRI					 130
WOOD	ALABAMA					 18
	AUTHENTIC					 38
	CASA ARIANNA					 50
	KOEN					 80
	OREGON					 92
	SEQUOIA					 106
	WABI SABI					 116
METAL	NIAGARA					 142
MARBLE	ARDOME					 128
	ICE					 134
	IMPERIAL BROWN					 136
	NIGHT LUX					 144
	SELVA					 152
	SUPREME					 110
	WABI SABI					 117
STONE	ALLOY					 22
	BURLINGTON					 42
	CLOS					 54
	CROSS					 60
	HIJAU					 140
	HIMALAYAS					 132
	IWA					 64

INSPIRATION	COLLECTION	AVAILABLE COLORS				PAGE
STONE	KAMARI STONE					 70
	KINFOLK					 74
	KUTA					 138
	KYOTO					 84
	OCEAN					 146
	OXFORD					 96
	PETRA					 102
	PIERRE DE BALI					 148

A

ALABAMA	18	
ALLOY	22	
ANTICO CASALE	28	
ARDOME	128	
AUTHENTIC	38	

B

BURLINGTON	42	
------------	----	---

C

CAPRI	130	
CASA ARIANNA	50	
CLOS	54	
CROSS	60	

H

HIJAU	140	
HIMALAYAS	132	

I

ICE	134	
IMPERIAL BROWN	136	
IWA	64	

K

KAMARI STONE	70	
KINFOLK	74	
KOEN	80	
KUTA	138	
KYOTO	84	

N

NIAGARA	142	
NIGHT LUX	144	

O

OCEAN	146	
OREGON	92	

OXFORD	96	
--------	----	---

P

PETRA	102	
PIERRE DE BALI	148	

S

SELVA	152	
SEQUOIA	106	
SINTRA	154	
SUPREME	110	

W

WABI SABI - Cemento	112	
WABI SABI - Madera	116	
WABI SABI - Mármol	117	
WORK - Cemento	120	

This page explains the meaning of the icons featured throughout the catalogue, enabling clear navigation and a quick understanding of the features and performance of each collection.

Esta página del catálogo explica el significado de los iconos que aparecen a lo largo de sus contenidos, facilitando una lectura clara y una comprensión rápida de las características y prestaciones de cada colección.

INTERACTIVE SYMBOLS

PORCELAIN TILES/PORCELÁNICO

RED BODY /PASTA ROJA

WHITE BODY /PASTA BLANCA

WALL TILE/REVESTIMIENTO

FLOOR TILES/PAVIMENTO

SHINE/BRILLO

MATT/MATE

SATIN/SATINADO

SHINE POLISHED/PULIDO BRILLO

MATT POLISHED/PULIDO MATE

LAPPED/LAPADO

MATT LAPPED/LAPADO MATE

GRAIN POLISHED/GRANILLA PULIDA

GLAZE POLISHED SHINY/ ESMALTE PULIDO

MODULARITY/MODULARIDAD

MESHED/ENMALLADO

UNIFORM APPEARANCE /ASPECTO UNIFORME

SLIGHT VARIATION/VARIACION LEVE

MODERATE VARIATION/VARIACION MODERADA

SUBSTANTIAL VARIATION/VARIACION FUERTE

GRAPHIC FACES XX PIECES/VARIACIÓN DE DISEÑO XX PIEZAS

EXTRUDED/EXTRUSIONADO

CLASS 0/CLASE 0

CLASS 1/CLASE 1

CLASS 2/CLASE 2

CLASS 3/CLASE 3

SLIM/ULTRAFINO

HAND MADE/HECHO A MANO

FROST PROOF/ANTIHELO

RECOMMENDED JOINT 0,2” /JUNTA RECOMENDADA 5MM

THICKNESS XX” /ESPESOR XXMM

FULL BODY/TODO MASA

GLASS MOSAIC/MOSAICO VITREO

RECTIFIED /RECTIFICADO

COLORED BODY/MASA COLOREADA

THICKNESS /ESPESORADO

CRACKLED /CRAQUELÉ

BATHROOMS AND BEDROOMS. BAÑOS Y DORMITORIOS DE VIVIENDAS.

ALL THE HOUSE EXCEPT KITCHENS AND HALLWAYS. TODA LA VIVIENDA EXCEPTO COCINAS Y VESTÍBULOS.

ANY ROOM IN THE HOUSE WITH ACCESS PROTECTED BY A DOORMAT IF IT FACES OUTDOORS. CUALQUIER HABITACION DE VIVIENDA CON ACCESO PROTEGIDO POR FELPUDO SI DA AL EXTERIOR.

ALL THE HOUSE AND COMMERCIAL PREMISES WITH LIMITED TRAFFIC. TODA LA VIVIENDA Y LOCALES COMERCIALES DE TRANSITO LIMITADO.

ANY ROOM SUBJECT TO RELATIVELY HEAVY, UNPROTECTED TRAFFIC. CUALQUIER ESTANCIA SOMETIDA A UN TRANSITO RELATIVAMENTE FUERTE Y NO PROTEGIDO.

ANTI-SLIP R9

ANTI-SLIP R10

ANTI-SLIP R11

ANTI-SLIP R12

ANTISLIP (DIN 51097)

 (DCOF) >0.50

ANTI-SLIP - BAREFOOT A

ANTI-SLIP - BAREFOOT A+B

ANTI-SLIP - BAREFOOT A+B+C

WET PENDULUM SRV RANGE <12

WET PENDULUM SRV RANGE 12 - 24

WET PENDULUM SRV RANGE 25 - 34

WET PENDULUM SRV RANGE 35 - 44

WET PENDULUM SRV RANGE 45 - 54

WET PENDULUM SRV RANGE >54

ALABAMA



- MORE INFO

- PORCELAIN TILES

- 2026

- WOOD COLLECTIONS

apegrupo

- SPECS



ANTI-SLIP ALABAMA SANDALO RECT 20X120.
PELDAÑO RECTO ANT. C3 ALABAMA SANDALO 33X120.



SPECIAL PIECES

SIZE

REF

NAME

FINISH

COD

FACES

THICKNESS

SPECS

ALABAMA



~ MORE INFO

AVAILABLE COLORS



CENERE



NEBBIA



SANDALO



ANTI-SLIP ALABAMA SANDALO RECT 20X120.
PELDAÑO RECTO ANT. C3 ALABAMA SANDALO 33X120.

~ PORCELAIN TILES

~ 2026

~ WOOD COLLECTIONS

apegrupo

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
20X120 / 8"X48"	A032261	ALABAMA CENERE RECT	MATT	R53/M	18	10,50mm / 0,41"	C2 R10
	A032260	ALABAMA NEBBIA RECT	MATT	R53/M	18	10,50mm / 0,41"	C2 R10
	A032263	ALABAMA SANDALO RECT	MATT	R53/M	18	10,50mm / 0,41"	C2 R10
	A032627	ANTI-SLIP ALABAMA CENERE RECT	MATT	N71/M	18	10,50mm / 0,41"	C3 i i
	A032629	ANTI-SLIP ALABAMA NEBBIA RECT	MATT	N71/M	18	10,50mm / 0,41"	C3 i i
	A032631	ANTI-SLIP ALABAMA SANDALO RECT	MATT	N71/M	18	10,50mm / 0,41"	C3 i i

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
	A032633	PELDAÑO RECTO ANT. C3 ALABAMA CENERE	MATT	K91/P	4	32,60mm / 1,28"	Π C3 R11 RU5 i i
	A032635	PELDAÑO RECTO ANT. C3 ALABAMA NEBBIA	MATT	K91/P	4	32,60mm / 1,28"	Π C3 R11 RU5 i i
	A032637	PELDAÑO RECTO ANT. C3 ALABAMA SANDALO	MATT	K91/P	4	32,60mm / 1,28"	Π C3 R11 RU5 i i
	A035736	PELDAÑO RECTO C1 ALABAMA CENERE	MATT	K91/P	4	32,60mm / 1,28"	Π RU5
	A035738	PELDAÑO RECTO C1 ALABAMA NEBBIA	MATT	K91/P	4	32,60mm / 1,28"	Π RU5
	A035740	PELDAÑO RECTO C1 ALABAMA SANDALO	MATT	K91/P	4	32,60mm / 1,28"	Π RU5
	A032642	REMATE PELD. RECTO ALABAMA CENERE	MATT	K36/P		7,40mm / 0,29"	Π RU5
	A032644	REMATE PELD. RECTO ALABAMA NEBBIA	MATT	K36/P		7,40mm / 0,29"	Π RU5
	A032646	REMATE PELD. RECTO ALABAMA SANDALO	MATT	K36/P		7,40mm / 0,29"	Π RU5
	A039443	PAR ZANQUIN RECTO ALABAMA CENERE	MATT	K09/P		9,20mm / 0,36"	P
	A039445	PAR ZANQUIN RECTO ALABAMA NEBBIA	MATT	K09/P		9,20mm / 0,36"	P
	A039447	PAR ZANQUIN RECTO ALABAMA SANDALO	MATT	K09/P		9,20mm / 0,36"	P
	A033854	ROD. ALABAMA CENERE	MATT	K24/P		9,20mm / 0,36"	P
	A033853	ROD. ALABAMA NEBBIA	MATT	K24/P		9,20mm / 0,36"	P
	A033856	ROD. ALABAMA SANDALO	MATT	K24/P		9,20mm / 0,36"	P



ANTI-SLIP ALLOY CREAM MATT RECT 60X120.
PELDAÑO RECTO ANT. C3 ALLOY CREAM 33X120.
BATU STONE GREEN 15X15.



ALLOY



- MORE INFO

- PORCELAIN TILES

- 2026

- STONE COLLECTIONS

- NEW

apegrupo

- SPECS



ANTI-SLIP ALLOY CREAM MATT RECT 60X120.
ALLOY CREAM MATT RECT 30X60.
PELDAÑO RECTO ANT. C3 ALLOY CREAM 33X120.

ANTI-SLIP ALLOY PEARL MATT RECT 60X120.
ALLOY PEARL MATT RECT 30X60.
PELDAÑO RECTO ANT. C3 ALLOY PEARL 33X120.



ALLOY




~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



CREAM



PEARL



ANTI-SLIP ALLOY PEARL MATT RECT 60X120.
PELDAÑO RECTO ANT. C3 ALLOY PEARL 33X120.

~ 2026

~ STONE COLLECTIONS

~ NEW



~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
120X280 / 48"X110"	A045854	ALLOY CREAM MATT RECT	MATT	M67/M	3	6,00mm / 0,24"	
	A045855	ALLOY PEARL MATT RECT	MATT	M67/M	3	6,00mm / 0,24"	
120X120 / 48"X48"	A044976	▶ ALLOY CREAM MATT RECT	MATT	L99/M	6	9,00mm / 0,35"	
	A044978	▶ ALLOY PEARL MATT RECT	MATT	L99/M	6	9,00mm / 0,35"	
90X90 / 36"X36"	A045768	▶ ALLOY CREAM MATT RECT	MATT	L88/M	12	9,70mm / 0,38"	
	A045769	▶ ALLOY PEARL MATT RECT	MATT	L88/M	12	9,70mm / 0,38"	
	A045813	ANTI-SLIP ALLOY CREAM MATT RECT	MATT	L89/M	12	9,70mm / 0,38"	
	A045814	ANTI-SLIP ALLOY PEARL MATT RECT	MATT	L89/M	12	9,70mm / 0,38"	
60X120 / 24"X48"	A044973	▶ ALLOY CREAM MATT RECT	MATT	J53/M	12	9,80mm / 0,39"	
	A044975	▶ ALLOY PEARL MATT RECT	MATT	J53/M	12	9,80mm / 0,39"	
	A045613	ANTI-SLIP ALLOY CREAM MATT RECT	MATT	L90/M	12	9,80mm / 0,39"	
	A045615	ANTI-SLIP ALLOY PEARL MATT RECT	MATT	L90/M	12	9,80mm / 0,39"	
60X60 / 24"X24"	A045770	▶ ALLOY CREAM MATT RECT	MATT	J54/M	24	8,50mm / 0,33"	
	A045771	▶ ALLOY PEARL MATT RECT	MATT	J54/M	24	8,50mm / 0,33"	
30X60 / 12"X24"	A045772	▶ ALLOY CREAM MATT RECT	MATT	J54/M	48	8,50mm / 0,33"	
	A045773	▶ ALLOY PEARL MATT RECT	MATT	J54/M	48	8,50mm / 0,33"	
4,8X44,5 / 2"X17,5"	A045365	ALLOY CREAM	MATT	V70/M	65	-	
	A045367	ALLOY PEARL	MATT	V70/M	65	-	
5X15 / 2"X6"	A045362	▶ ALLOY CAPS CREAM	MATT	V30/M	65	-	
	A045364	▶ ALLOY CAPS PEARL	MATT	V30/M	65	-	

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
33X120 / 13"X48"	A045616	PELDAÑO RECTO ANT. C3 ALLOY CREAM	MATT	K91/P	4	31,90mm / 1,26"	
	A045618	PELDAÑO RECTO ANT. C3 ALLOY PEARL	MATT	K91/P	4	31,90mm / 1,26"	

ANTICO CASALE



- MORE INFO


- PORCELAIN TILES

- 2026

- COTTO COLLECTIONS



- SPECS



ANTI-SLIP CASALE ECRU RECT 60X120.
CASALE ECRU RECT 60X120.
PELDAÑO RECTO ANT. C3 CASALE ECRU 33X120.

ANTICO CASALE



- MORE INFO

- PORCELAIN TILES

- 2026

- COTTO COLLECTIONS

apegrupo

- SPECS

P

M



CASALE ECRU RECT 120X120.
CASALE ECRU RECT 60X120.
CASALE ECRU RECT 60X60.

ANTI-SLIP CASALE ECRU RECT 120X120.
ANTI-SLIP CASALE ECRU RECT 60X120.
NESSO ECRU MIX RECT 20X20.




ANTICO CASALE



~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



CASALE CENERE



CASALE ECRU



CASALE COTTO



ANTI-SLIP CASALE COTTO RECT 120X120.
PELDAÑO RECTO ANT. C3 CASALE COTTO 33X120.

~ 2026
~ COTTO COLLECTIONS



~ SPECS
P M

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
120X120 / 48"X48"	A042369	ANTI-SLIP CASALE CENERE RECT	MATT	V04/M	16	9,20mm / 0,36"	
	A042367	ANTI-SLIP CASALE COTTO RECT	MATT	V04/M	16	9,20mm / 0,36"	
	A042368	ANTI-SLIP CASALE ECRU RECT	MATT	V04/M	16	9,20mm / 0,36"	
	A042125	CASALE CENERE RECT	MATT	L99/M	16	9,20mm / 0,36"	
	A042121	CASALE COTTO RECT	MATT	L99/M	16	9,20mm / 0,36"	
	A042124	CASALE ECRU RECT	MATT	L99/M	16	9,20mm / 0,36"	
90X90 / 36"X36"	A042437	CASALE CENERE RECT	MATT	L88/M	16	9,20mm / 0,36"	
	A042438	CASALE COTTO RECT	MATT	L88/M	16	9,20mm / 0,36"	
	A042439	CASALE ECRU RECT	MATT	L88/M	16	9,20mm / 0,36"	
	A042372	ANTI-SLIP CASALE CENERE RECT	MATT	L90/M	32	19,80mm / 0,78"	
	A042370	ANTI-SLIP CASALE COTTO RECT	MATT	L90/M	32	19,80mm / 0,78"	
	A042371	ANTI-SLIP CASALE ECRU RECT	MATT	L90/M	32	19,80mm / 0,78"	
60X120 / 24"X48"	A042131	CASALE CENERE RECT	MATT	J53/M	32	19,80mm / 0,78"	
	A042127	CASALE COTTO RECT	MATT	J53/M	32	19,80mm / 0,78"	
	A042130	CASALE ECRU RECT	MATT	J53/M	32	19,80mm / 0,78"	
	A043284	HIGH THICKNESS CASALE CENERE RECT	MATT	V20/M	32	19,80mm / 0,78"	
	A043283	HIGH THICKNESS CASALE COTTO RECT	MATT	V20/M	32	19,80mm / 0,78"	
	A043285	HIGH THICKNESS CASALE ECRU RECT	MATT	V20/M	32	19,80mm / 0,78"	
	A042137	CASALE CENERE RECT	MATT	J54/M	64	8,90mm / 0,35"	
	A042133	CASALE COTTO RECT	MATT	J54/M	64	8,90mm / 0,35"	
	A042136	CASALE ECRU RECT	MATT	J54/M	64	8,90mm / 0,35"	
	A042137	CASALE CENERE RECT	MATT	J54/M	64	8,90mm / 0,35"	
	A042133	CASALE COTTO RECT	MATT	J54/M	64	8,90mm / 0,35"	
	A042136	CASALE ECRU RECT	MATT	J54/M	64	8,90mm / 0,35"	
60X60 / 24"X24"	A042137	CASALE CENERE RECT	MATT	J54/M	64	8,90mm / 0,35"	
	A042133	CASALE COTTO RECT	MATT	J54/M	64	8,90mm / 0,35"	
	A042136	CASALE ECRU RECT	MATT	J54/M	64	8,90mm / 0,35"	

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS
M

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
33X120 / 13"X48"	A042364	PELDAÑO RECTO ANT. C3 CASALE COTTO	MATT	K91/P	4	32,40mm / 1,28"	
	A042365	PELDAÑO RECTO ANT. C3 CASALE CENERE	MATT	K91/P	4	32,40mm / 1,28"	
	A042366	PELDAÑO RECTO ANT. C3 CASALE ECRU	MATT	K91/P	4	32,40mm / 1,28"	



~ MORE INFO

~ PORCELAIN TILES



BROLIO ECRU RECT



GALGANO ECRU RECT



BROLIO CENERE RECT



GALGANO CENERE RECT



PALANZO ECRU RECT



ORCIA ECRU RECT



PALANZO CENERE RECT



ORCIA CENERE RECT



PIENZA ECRU RECT



SERENO ECRU RECT



PIENZA CENERE RECT



SERENO CENERE RECT



BROLIO COTTO RECT



GALGANO COTTO RECT



ORCIA COTTO RECT



PIENZA COTTO RECT



PALANZO COTTO RECT



SERENO COTTO RECT

~ 2026

~ COTTO COLLECTIONS



~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
120X120 / 48"X48"	A042377	BROLIO CENERE RECT	MATT	M99/M	6	9,20mm / 0,36"	V4
	A042376	BROLIO COTTO RECT	MATT	M99/M	6	9,20mm / 0,36"	V4
	A042378	BROLIO ECRU RECT	MATT	M99/M	6	9,20mm / 0,36"	V4
	A042383	GALGANO CENERE RECT	MATT	M99/M	6	9,20mm / 0,36"	V4
	A042382	GALGANO COTTO RECT	MATT	M99/M	6	9,20mm / 0,36"	V4
	A042384	GALGANO ECRU RECT	MATT	M99/M	6	9,20mm / 0,36"	V4
	A042374	ORCIA CENERE RECT	MATT	M99/M	6	9,20mm / 0,36"	V4
	A042373	ORCIA COTTO RECT	MATT	M99/M	6	9,20mm / 0,36"	V4
	A042375	ORCIA ECRU RECT	MATT	M99/M	6	9,20mm / 0,36"	V4
	A042380	PIENZA CENERE RECT	MATT	M99/M	6	9,20mm / 0,36"	V4
	A042379	PIENZA COTTO RECT	MATT	M99/M	6	9,20mm / 0,36"	V4
	A042381	PIENZA ECRU RECT	MATT	M99/M	6	9,20mm / 0,36"	V4
60X60 / 24"X24"	A042399	BROLIO CENERE RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042398	BROLIO COTTO RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042400	BROLIO ECRU RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042405	GALGANO CENERE RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042404	GALGANO COTTO RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042406	GALGANO ECRU RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042396	ORCIA CENERE RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042395	ORCIA COTTO RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042397	ORCIA ECRU RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042408	PALANZO CENERE RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042407	PALANZO COTTO RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042409	PALANZO ECRU RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042402	PIENZA CENERE RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042401	PIENZA COTTO RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042403	PIENZA ECRU RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042411	SERENO CENERE RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042410	SERENO COTTO RECT	MATT	V01/M	9	8,90mm / 0,35"	V4
	A042412	SERENO ECRU RECT	MATT	V01/M	9	8,90mm / 0,35"	V4

ANTICO CASALE



~ MORE INFO

~ PORCELAIN TILES



OTTO CENERE




QUATTRO CENERE




TOZZETTO CASALE CENERE



TOZZETTO NESSO MIX CENERE



QUATTRO BIANCO



TOZZETTO BIANCO



OTTO ECRU



QUATTRO ECRU




TOZZETTO CASALE ECRU



TOZZETTO NESSO MIX ECRU



QUATTRO BLUE



TOZZETTO BLUE



OTTO COTTO



QUATTRO COTTO



TOZZETTO CASALE COTTO



TOZZETTO NESSO MIX COTTO

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
12X12 / 5"X5"	A043473	QUATTRO BIANCO	MATT	V10/M	20	8,40mm / 0,33"	V4RU5
	A042984	QUATTRO BLUE	MATT	V10/M	20	8,40mm / 0,33"	V4RU5
	A042910	QUATTRO CENERE	MATT	V10/M	50	8,40mm / 0,33"	V4RU5
	A042909	QUATTRO COTTO	MATT	V10/M	50	8,40mm / 0,33"	V4RU5
	A042907	QUATTRO ECRU	MATT	V10/M	50	8,40mm / 0,33"	V4RU5
16,8X16,8 / 6,6"X6,6"	A042914	OTTO CENERE	MATT	V10/M	50	8,10mm / 0,32"	V4RU5
	A042913	OTTO COTTO	MATT	V10/M	50	8,10mm / 0,32"	V4RU5
	A042911	OTTO ECRU	MATT	V10/M	50	8,10mm / 0,32"	V4RU5

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

~ 2026

~ COTTO COLLECTIONS



~ SPECS



NESSO CENERE MIX RECT



NESSO ECRU MIX RECT



NESSO COTTO MIX RECT

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
3,4X3,4 / 1,3"X1,3"	A042976	TOZZETTO BIANCO	MATT	K83/P	1	8,80mm / 0,35"	V1RU5
	A042975	TOZZETTO BLUE	MATT	K83/P	1	8,80mm / 0,35"	V1RU5
◇	A042978	TOZZETTO CASALE CENERE	MATT	K83/P		8,80mm / 0,35"	V4RU5
	A042979	TOZZETTO CASALE COTTO	MATT	K83/P		8,80mm / 0,35"	V4RU5
	A042980	TOZZETTO CASALE ECRU	MATT	K83/P		8,80mm / 0,35"	V4RU5
	A042982	TOZZETTO NESSO MIX CENERE	MATT	K83/P		8,80mm / 0,35"	V4RU5
	A042983	TOZZETTO NESSO MIX COTTO	MATT	K83/P		8,80mm / 0,35"	V4RU5
	A042981	TOZZETTO NESSO MIX ECRU	MATT	K83/P		8,80mm / 0,35"	V4RU5
	A042981	TOZZETTO NESSO MIX ECRU	MATT	K83/P		8,80mm / 0,35"	V4RU5
20X20 / 8"X8"	A042416	NESSO CENERE MIX RECT	MATT	V03/M	18	8,30mm / 0,33"	V4RU4
	A042417	NESSO COTTO MIX RECT	MATT	V03/M	18	8,30mm / 0,33"	V4RU4
□	A042418	NESSO ECRU MIX RECT	MATT	V03/M	18	8,30mm / 0,33"	V4RU4

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

AUTHENTIC



- MORE INFO

- PORCELAIN TILES

- 2026

- WOOD COLLECTIONS

apegrupo

- SPECS



ANTI-SLIP AUTHENTIC SANDAL RECT 25X150.
PELDAÑO RECTO ANT. C3 AUTHENTIC SANDAL 33X120.



AUTHENTIC



~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



BARLEY



SANDAL



PELDAÑO RECTO ANT. C3 AUTHENTIC BARLEY 33X120.
ANTI-SLIP AUTHENTIC BARLEY RECT 25X150.

~ 2026

~ WOOD COLLECTIONS



~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
25X150 / 10"X59"	A042038	ANTI-SLIP AUTHENTIC BARLEY RECT	MATT	M77/M	16	9,40mm / 0,37"	P C3 R11 V3 RU5
	A042036	ANTI-SLIP AUTHENTIC SANDAL RECT	MATT	M77/M	16	9,40mm / 0,37"	P C3 R11 V3 RU5
	A042033	AUTHENTIC BARLEY RECT	MATT	M76/M	16	9,40mm / 0,37"	P V3 RU5
	A042031	AUTHENTIC SANDAL RECT	MATT	M76/M	16	9,40mm / 0,37"	P V3 RU5



CHARLOTTE SANDAL RECT



CHLOE SANDAL RECT

60X120 REV / 24"X48"	A043083	CHARLOTTE SANDAL RECT	MATT	M78/M	4	8,90mm / 0,35"	PB V2
	A042726	CHLOE SANDAL RECT	MATT	M78/M	4	8,90mm / 0,35"	PB V2

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
33X120 / 13"X48"	A042392	PELDAÑO RECTO ANT. C3 AUTHENTIC SANDAL	MATT	K91/P	4	32,20mm / 1,27"	P C3 R11 RU5
	A042393	PELDAÑO RECTO ANT. C3 AUTHENTIC BARLEY	MATT	K91/P	4	32,20mm / 1,27"	P C3 R11 RU5
8X60 / 3"X24"	A043503	ROD. AUTHENTIC BARLEY	MATT	K24/P		8,40mm / 0,33"	P
	A043504	ROD. AUTHENTIC SANDAL	MATT	K24/P		8,40mm / 0,33"	P

BURLINGTON



- MORE INFO

- PORCELAIN TILES

- 2026

- STONE COLLECTIONS

apegrupo

- SPECS



V2

ANTI-SLIP BURLINGTON PEARL RECT 60X120.
PELDAÑO RECTO ANT. C3 BURLINGTON PEARL 33X120.
DELIGHT BLUE 13,8X13,8.



BURLINGTON



- MORE INFO

- PORCELAIN TILES

- 2026
- STONE COLLECTIONS



- SPECS
M  V2

BURLINGTON IVORY RECT 60X120.
PELDAÑO RECTO ANT. C3 BURLINGTON IVORY 33X120.
OCEAN BLUE OXID 15X15.
ANTI-SLIP BURLINGTON IVORY RECT 75X75.



ANTI-SLIP BURLINGTON GREY RECT 60X120.
PELDAÑO RECTO ANT. C3 BURLINGTON PEARL 33X120.
PIERRE DE BALI 15X15.

BURLINGTON




~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



PEARL




GREY



IVORY



TAUPE



VOLCANO



ANTI-SLIP BURLINGTON GREY RECT 60X120.
PELDAÑO RECTO ANT. C3 BURLINGTON GREY 33X120.

~ 2026

~ STONE COLLECTIONS

apegrupo

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
120X120 / 48"X48"	A043680	BURLINGTON IVORY RECT	MATT	V13/M	6	9,40mm / 0,37"	PR10RU5
	A043681	BURLINGTON PEARL RECT	MATT	V13/M	6	9,40mm / 0,37"	PR10RU5
	A043682	ANTI-SLIP BURLINGTON IVORY RECT	MATT	V14/M	6	9,40mm / 0,37"	PR11RU5
	A043683	ANTI-SLIP BURLINGTON PEARL RECT	MATT	V14/M	6	9,40mm / 0,37"	PR11RU5
75X75 / 30"X30"	A037738	BURLINGTON PEARL RECT	MATT	J57/M	12	9,20mm / 0,36"	PR10RU5
	A037742	BURLINGTON IVORY RECT	MATT	J57/M	12	9,20mm / 0,36"	PR10RU5
	A037739	ANTI-SLIP BURLINGTON PEARL RECT	MATT	J58/M	12	9,20mm / 0,36"	PR11RU5
	A037743	ANTI-SLIP BURLINGTON IVORY RECT	MATT	J58/M	12	9,20mm / 0,36"	PR11RU5
60X120 / 24"X48"	A037729	BURLINGTON PEARL RECT	MATT	J55/M	12	9,40mm / 0,37"	PR10RU5
	A037731	BURLINGTON GREY RECT	MATT	J55/M	12	9,40mm / 0,37"	PR10RU5
	A037733	BURLINGTON IVORY RECT	MATT	J55/M	12	9,40mm / 0,37"	PR10RU5
	A037735	BURLINGTON TAUPE RECT	MATT	J55/M	12	9,40mm / 0,37"	PR10RU5
	A037737	BURLINGTON VOLCANO RECT	MATT	J55/M	12	9,40mm / 0,37"	PR10RU5
	A037730	ANTI-SLIP BURLINGTON PEARL RECT	MATT	J56/M	12	9,40mm / 0,37"	PR11RU5
	A037732	ANTI-SLIP BURLINGTON GREY RECT	MATT	J56/M	12	9,40mm / 0,37"	PR11RU5
	A037734	ANTI-SLIP BURLINGTON IVORY RECT	MATT	J56/M	12	9,40mm / 0,37"	PR11RU5
	A037736	ANTI-SLIP BURLINGTON TAUPE RECT	MATT	J56/M	12	9,40mm / 0,37"	PR11RU5
	A038131	ANTI-SLIP BURLINGTON VOLCANO RECT	MATT	J56/M	12	9,40mm / 0,37"	PR11RU5
60X60 / 24"X24"	A037720	BURLINGTON PEARL RECT	MATT	J59/M	24	9,70mm / 0,38"	PR10RU5
	A037722	BURLINGTON GREY RECT	MATT	J59/M	24	9,70mm / 0,38"	PR10RU5
	A037724	BURLINGTON IVORY RECT	MATT	J59/M	24	9,70mm / 0,38"	PR10RU5
	A037726	BURLINGTON TAUPE RECT	MATT	J59/M	24	9,70mm / 0,38"	PR10RU5
	A037728	BURLINGTON VOLCANO RECT	MATT	J59/M	24	9,70mm / 0,38"	PR10RU5
	A037894	BURLINGTON GREY RECT	MATT	J61/M	24	10,90mm / 0,43"	PB
30X90 / 12"X36"	A037895	BURLINGTON IVORY RECT	MATT	J61/M	24	10,90mm / 0,43"	PB
	A037893	BURLINGTON PEARL RECT	MATT	J61/M	24	10,90mm / 0,43"	PB
	A037908	EDEN GREY RECT	MATT	J62/M	12	10,90mm / 0,43"	PB
30X60 / 12"X24"	A037907	EDEN PEARL RECT	MATT	J62/M	12	10,90mm / 0,43"	PB
	A038205	BURLINGTON PEARL RECT	MATT	J59/M	48	8,90mm / 0,35"	PR10RU5
	A038206	BURLINGTON GREY RECT	MATT	J59/M	48	8,90mm / 0,35"	PR10RU5
	A038207	BURLINGTON IVORY RECT	MATT	J59/M	48	8,90mm / 0,35"	PR10RU5
	A038208	BURLINGTON TAUPE RECT	MATT	J59/M	48	8,90mm / 0,35"	PR10RU5

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

BURLINGTON



- MORE INFO

- PORCELAIN TILES

- 2026

- STONE COLLECTIONS

- SPECS

M V2 RU5

ANTI-SLIP BURLINGTON PEARL RECT 60X120.
CONTEMPORARY AQUA SEA 15X15.
PELDAÑO RECTO ANT. C3 BURLINGTON PEARL 33X120.

SPECIAL PIECES

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
30X30 (5X5) / 12"X12"	A038188	MOSAICO BURLINGTON PEARL	MAT T	K01/P		9,90mm / 0,39"	P   
	A038189	MOSAICO BURLINGTON GREY	MAT T	K01/P		9,90mm / 0,39"	P   
	A038190	MOSAICO BURLINGTON VOLCANO	MAT T	K01/P		9,90mm / 0,39"	P   
	A038191	MOSAICO BURLINGTON IVORY	MAT T	K01/P		9,90mm / 0,39"	P   
	A038192	MOSAICO BURLINGTON TAUPE	MAT T	K01/P		9,90mm / 0,39"	P   
33X120 / 13"X48"	A038133	PELDAÑO RECTO ANT. C3 BURLINGTON GREY	MAT T	K91/P	4	32,30mm / 1,27"	 C3 R11   
	A038134	PELDAÑO RECTO ANT. C3 BURLINGTON IVORY	MAT T	K91/P	4	32,30mm / 1,27"	 C3 R11   
	A038135	PELDAÑO RECTO ANT. C3 BURLINGTON PEARL	MAT T	K91/P	4	32,30mm / 1,27"	 C3 R11   
	A038136	PELDAÑO RECTO ANT. C3 BURLINGTON TAUPE	MAT T	K91/P	4	32,30mm / 1,27"	 C3 R11   
	A038137	PELDAÑO RECTO ANT. C3 BURLINGTON VOLCANO	MAT T	K91/P	4	32,30mm / 1,27"	 C3 R11   



CASA ARIANNA



- MORE INFO

- PORCELAIN TILES

- 2026

- WOOD COLLECTIONS

- NEW

ape grupo

- SPECS



PELDAÑO RECTO ANT. C3 SOPHY AUREO 33X120.
ANTI-SLIP VITTORIA AUREO RECT 25X150.
CAPRI GREEN 15X15.

CASA ARIANNA



~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



MIELE



AUREO



NOCE ROSSO



ANTI-SLIP VITTORIA AUREO RECT 25X150.
PELDAÑO RECTO ANT. C3 SOPHY AUREO 33X120.

~ 2026

~ WOOD COLLECTIONS

~ NEW



~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
120X120 / 48"X48"	A044585	BALL ROOM AUREO RECT	MATT	V52/M	4	10,50mm / 0,41"	
	A044587	BALL ROOM MIELE RECT	MATT	V52/M	4	10,50mm / 0,41"	
	A044588	BALL ROOM NOCE ROSSO RECT	MATT	V52/M	4	10,50mm / 0,41"	
30X180 / 12"X72"	A044591	ARI AUREO RECT	MATT	V53/M	15	10,40mm / 0,41"	
	A044593	ARI MIELE RECT	MATT	V53/M	15	10,40mm / 0,41"	
	A044594	ARI NOCE ROSSO RECT	MATT	V53/M	15	10,40mm / 0,41"	
25X150 / 10"X59"	A044572	ANTI-SLIP VITTORIA AUREO RECT	MATT	L87/M	15	10,10mm / 0,40"	C3 R11
	A044574	ANTI-SLIP VIT TORIA MIELE RECT	MATT	L87/M	15	10,10mm / 0,40"	C3 R11
	A044575	ANTI-SLIP VITTORIA NOCE ROSSO RECT	MATT	L87/M	15	10,10mm / 0,40"	C3 R11
	A044566	VITTORIA AUREO RECT	MATT	L80/M	15	10,10mm / 0,40"	
	A044568	VITTORIA MIELE RECT	MATT	L80/M	15	10,10mm / 0,40"	
	A044569	VITTORIA NOCE ROSSO RECT	MATT	L80/M	15	10,10mm / 0,40"	
	A045845	ANTI-SLIP SOPHY AUREO RECT	MATT	N71/M	15	9,20mm / 0,36"	C3 R11
20X120 / 8"X48"	A045846	ANTI-SLIP SOPHY MIELE RECT	MATT	N71/M	15	9,20mm / 0,36"	C3 R11
	A045847	ANTI-SLIP SOPHY NOCE ROSSO RECT	MATT	N71/M	15	9,20mm / 0,36"	C3 R11
	A044579	SOPHY AUREO RECT	MATT	R53/M	15	9,20mm / 0,36"	
	A044581	SOPHY MIELE RECT	MATT	R53/M	15	9,20mm / 0,36"	
	A044582	SOPHY NOCE ROSSO RECT	MATT	R53/M	15	9,20mm / 0,36"	
9,8X59,3 / 4"X24"	A044754	ALBA AUREO	MATT	V54/M	60	9,10mm / 0,36"	
	A044759	ALBA MIELE	MATT	V54/M	60	9,10mm / 0,36"	
	A044760	ALBA NOCE ROSSO	MATT	V54/M	60	9,10mm / 0,36"	

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
33X120 / 13"X48"	A044597	PELDAÑO RECTO ANT. C3 SOPHY AUREO	MATT	K91/P	4	-	
	A044599	PELDAÑO RECTO ANT. C3 SOPHY MIELE	MATT	K91/P	4	-	
	A044600	PELDAÑO RECTO ANT. C3 SOPHY NOCE ROSSO	MATT	K91/P	4	-	

CLOS

- BY LUIGI ROMANELLI



- MORE INFO

- PORCELAIN TILES

- 2026

- STONE COLLECTIONS

apegrupo

- SPECS



ANTI-SLIP CLOS BEIGE RECT 30,2X60,4.
ANTI-SLIP CLOS BEIGE RECT 60,4X120,8.
ANTI-SLIP CLOS BEIGE RECT 60,4X60,4.
ANTI-SLIP CLOS BEIGE RECT 60,4X90,6.
PELDAÑO RECTO ANT. C3 CLOS BEIGE 33X120,8.



CLOS

- BY LUIGI ROMANELLI



- MORE INFO

- PORCELAIN TILES

- 2026

- STONE COLLECTIONS

- SPECS

P

M



V4



RU5



57

apegrupo

ANTI-SLIP CLOS TERRA RECT 60,4X60,4.
CLOS TERRA RECT 30,2X60,4.



CLOS CENERE RECT 60,4X120,8.
CLOS CENERE RECT 60,4X60,4.
CLOS CENERE RECT 60,4X90,6.
CLOS CENERE RECT 30,2X60,4.
MADEIRA OLIVE GREEN 11,5X11,5.

CLOS

– BY LUIGI ROMANELLI



– MORE INFO

– PORCELAIN TILES

AVAILABLE COLORS



BIANCO



CENERE



TERRA



BEIGE



ANTI-SLIP CLOS BIANCO RECT 60,4X120,8.
PELDAÑO RECTO ANT. C3 CLOS BIANCO 33X120,8.
KUTA GREEN 15X15.

SPECIAL PIECES

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
33X120,8 / 13"X48"	A042233	PELDAÑO RECTO ANT. C3 CLOS BIANCO	MATT	K91/P	4	32,30mm / 1,27"	
	A042234	PELDAÑO RECTO ANT. C3 CLOS CENERE	MATT	K91/P	4	32,30mm / 1,27"	
	A042235	PELDAÑO RECTO ANT. C3 CLOS TERRA	MATT	K91/P	4	32,30mm / 1,27"	
	A042508	PELDAÑO RECTO ANT. C3 CLOS BEIGE	MATT	K91/P	4	32,30mm / 1,27"	
30X30 (5X5) / 12"X12"	A043208	MOSAICO CLOS BEIGE	MATT	K01/P		-	
	A043209	MOSAICO CLOS BIANCO	MATT	K01/P		-	
	A043210	MOSAICO CLOS CENERE	MATT	K01/P		-	
	A043211	MOSAICO CLOS TERRA	MATT	K01/P		-	

– SPECS



– 2026

– STONE COLLECTIONS

apegrupo

– SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
60,4X120,8 / 24"X48"	A042348	ANTI-SLIP CLOS BEIGE RECT	MATT	M81/M	20	9,40mm / 0,37"	
	A042236	ANTI-SLIP CLOS BIANCO RECT	MATT	M81/M	20	9,40mm / 0,37"	
	A042238	ANTI-SLIP CLOS CENERE RECT	MATT	M81/M	20	9,40mm / 0,37"	
	A042239	ANTI-SLIP CLOS TERRA RECT	MATT	M81/M	20	9,40mm / 0,37"	
	A042344	CLOS BEIGE RECT	MATT	M71/M	20	9,40mm / 0,37"	
	A041802	CLOS BIANCO RECT	MATT	M71/M	20	9,40mm / 0,37"	
	A041804	CLOS CENERE RECT	MATT	M71/M	20	9,40mm / 0,37"	
	A041803	CLOS TERRA RECT	MATT	M71/M	20	9,40mm / 0,37"	
	A042349	ANTI-SLIP CLOS BEIGE RECT	MATT	M85/M	26	9,60mm / 0,38"	
	A042240	ANTI-SLIP CLOS BIANCO RECT	MATT	M85/M	26	9,60mm / 0,38"	
60,4X90,6 / 24"X36"	A042241	ANTI-SLIP CLOS CENERE RECT	MATT	M85/M	26	9,60mm / 0,38"	
	A042242	ANTI-SLIP CLOS TERRA RECT	MATT	M85/M	26	9,60mm / 0,38"	
	A042345	CLOS BEIGE RECT	MATT	M70/M	26	9,60mm / 0,38"	
	A041805	CLOS BIANCO RECT	MATT	M70/M	26	9,60mm / 0,38"	
	A041807	CLOS CENERE RECT	MATT	M70/M	26	9,60mm / 0,38"	
	A041806	CLOS TERRA RECT	MATT	M70/M	26	9,60mm / 0,38"	
	A042350	ANTI-SLIP CLOS BEIGE RECT	MATT	M86/M	37	9,80mm / 0,39"	
	A042243	ANTI-SLIP CLOS BIANCO RECT	MATT	M86/M	37	9,80mm / 0,39"	
	A042244	ANTI-SLIP CLOS CENERE RECT	MATT	M86/M	37	9,80mm / 0,39"	
	A042245	ANTI-SLIP CLOS TERRA RECT	MATT	M86/M	37	9,80mm / 0,39"	
60,4X60,4 / 24"X24"	A042346	CLOS BEIGE RECT	MATT	M69/M	37	9,80mm / 0,39"	
	A041808	CLOS BIANCO RECT	MATT	M69/M	37	9,80mm / 0,39"	
	A041810	CLOS CENERE RECT	MATT	M69/M	37	9,80mm / 0,39"	
	A041809	CLOS TERRA RECT	MATT	M69/M	37	9,80mm / 0,39"	
	A042351	ANTI-SLIP CLOS BEIGE RECT	MATT	M86/M	74	9,80mm / 0,39"	
	A042246	ANTI-SLIP CLOS BIANCO RECT	MATT	M86/M	74	9,80mm / 0,39"	
	A042247	ANTI-SLIP CLOS CENERE RECT	MATT	M86/M	74	9,80mm / 0,39"	
	A042248	ANTI-SLIP CLOS TERRA RECT	MATT	M86/M	74	9,80mm / 0,39"	
	A042347	CLOS BEIGE RECT	MATT	M69/M	74	9,80mm / 0,39"	
	A041811	CLOS BIANCO RECT	MATT	M69/M	74	9,80mm / 0,39"	
30,2X60,4 / 12"X24"	A041813	CLOS CENERE RECT	MATT	M69/M	74	9,80mm / 0,39"	
	A041812	CLOS TERRA RECT	MATT	M69/M	74	9,80mm / 0,39"	

– IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.



- MORE INFO

- PORCELAIN TILES

- 2026
- STONE COLLECTIONS

apegrupo

- SPECS



ANTI-SLIP CROSS WHITE RECT 60X120.
CROSS WHITE 15X15.



CROSS



~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



WHITE



ANTI-SLIP ARGILLAE NEVE RECT 60X120.
ANTI-SLIP CROSS WHITE RECT 60X120.

~ 2026
~ STONE COLLECTIONS



~ SPECS
P M V3 RU5

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
60X120 / 24"X48"	A038531	ANTI-SLIP CROSS WHITE RECT	MATT	J03/M	12	8,80mm / 0,35"	C3
	A038335	CROSS WHITE RECT	MATT	J38/M	12	8,80mm / 0,35"	
15X15 / 6"X6"	A038540	CROSS WHITE	MATT	L29/M	52	8,50mm / 0,33"	




~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS
M V3 RU5

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
30X30 (5X5) / 12"X12"	A038575	MOSAICO CROSS WHITE	MATT	K01/P		9,50mm / 0,37"	P
33X33 / 13"X13"	A038543	PELDAÑO RECTO CROSS WHITE C3	MATT	K86/P	4	32,50mm / 1,28"	C3 R11







STRU IWA PEARL RECT 60X120.
REJILLA MODULAR IWA PEARL 24,5X30.
BORDE DESBORDANTE IWA PEARL 28X66,5.
HIMALAYAS KATMANDU 15X15.



AVAILABLE COLORS



WHITE



PEARL



BONE









IWA BONE RECT 60X120.
BORDE DESBORDANTE IWA BONE 28X66,5.
REJILLA MODULAR IWA BONE 24,5X30.
BATU STONE GREEN 15X15.

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
30X90 / 12"x36"	A044519	HARU WHITE RECT	MATT	J93/M	6	9,70mm / 0,38"	PB
	A044050	IWA BONE RECT	MATT	L06/M	19	9,70mm / 0,38"	PB
	A044049	IWA PEARL RECT	MATT	L06/M	19	9,70mm / 0,38"	PB
	A044048	IWA WHITE RECT	MATT	L06/M	19	9,70mm / 0,38"	PB
	A044053	SEKIBA BONE RECT	MATT	J93/M	19	9,70mm / 0,38"	PB
	A044052	SEKIBA PEARL RECT	MATT	J93/M	19	9,70mm / 0,38"	PB
	A044051	SEKIBA WHITE RECT	MATT	J93/M	19	9,70mm / 0,38"	PB
	A044757	ZEKTON BONE RECT	MATT	J93/M	19	9,70mm / 0,38"	PB
	A044758	ZEKTON PEARL RECT	MATT	J93/M	19	9,70mm / 0,38"	PB
	A044756	ZEKTON WHITE RECT	MATT	J93/M	19	9,70mm / 0,38"	PB



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
120X280 / 48"x110"	A045194	IWA BONE RECT	MATT	M67/M	2	6,00mm / 0,24"	P
	A045193	IWA PEARL RECT	MATT	M67/M	2	6,00mm / 0,24"	P
	A045192	IWA WHITE RECT	MATT	M67/M	2	6,00mm / 0,24"	P
120X120 / 48"x48"	A044041	IWA BONE RECT	MATT	N31/M	4	10,50mm / 0,41"	P
	A044040	IWA PEARL RECT	MATT	N31/M	4	10,50mm / 0,41"	P
	A044039	IWA WHITE RECT	MATT	N31/M	4	10,50mm / 0,41"	P
	A044044	STRU IWA BONE RECT	MATT	J16/M	4	10,50mm / 0,41"	P C3 R11
	A044043	STRU IWA PEARL RECT	MATT	J16/M	4	10,50mm / 0,41"	P C3 R11
	A044042	STRU IWA WHITE RECT	MATT	J16/M	4	10,50mm / 0,41"	P C3 R11
90X90 / 36"x36"	A045022	IWA BONE RECT	MATT	L34/M	5	8,90mm / 0,35"	P
	A045021	IWA PEARL RECT	MATT	L34/M	5	8,90mm / 0,35"	P
	A045020	IWA WHITE RECT	MATT	L34/M	5	8,90mm / 0,35"	P
60X120 / 24"x48"	A044035	ISEN BONE RECT	MATT	V37/M	8	9,20mm / 0,36"	P
	A044034	ISEN PEARL RECT	MATT	V37/M	8	9,20mm / 0,36"	P
	A044033	ISEN WHITE RECT	MATT	V37/M	8	9,20mm / 0,36"	P
	A044031	IWA BONE RECT	MATT	J38/M	8	9,20mm / 0,36"	P
	A044030	IWA PEARL RECT	MATT	J38/M	8	9,20mm / 0,36"	P
	A044029	IWA WHITE RECT	MATT	J38/M	8	9,20mm / 0,36"	P
	A044038	STRU IWA BONE RECT	MATT	J03/M	8	9,20mm / 0,36"	P C3 R11
	A044037	STRU IWA PEARL RECT	MATT	J03/M	8	9,20mm / 0,36"	P C3 R11
	A044036	STRU IWA WHITE RECT	MATT	J03/M	8	9,20mm / 0,36"	P C3 R11
	A045206	YORU WHITE RECT	MATT	V37/M	2	9,20mm / 0,36"	P
	A044045	IWA WHITE RECT	MATT	J13/M	15	9,00mm / 0,35"	P
	A044046	IWA PEARL RECT	MATT	J13/M	15	9,00mm / 0,35"	P
60X60 / 24"x24"	A044047	IWA BONE RECT	MATT	J13/M	15	9,00mm / 0,35"	P
	A045817	STRU IWA BONE RECT	MATT	J39/M	15	9,00mm / 0,35"	P C3 R11
	A045818	STRU IWA PEARL RECT	MATT	J39/M	15	9,00mm / 0,35"	P C3 R11
	A045819	STRU IWA WHITE RECT	MATT	J39/M	15	9,00mm / 0,35"	P C3 R11
	A044507	IWA WHITE RECT	MATT	J13/M	30	9,20mm / 0,36"	P
	A044509	IWA PEARL RECT	MATT	J13/M	30	9,20mm / 0,36"	P
	A044510	IWA BONE RECT	MATT	J13/M	30	9,20mm / 0,36"	P
	A045820	STRU IWA BONE RECT	MATT	J39/M	30	9,20mm / 0,36"	P C3 R11
	A045821	STRU IWA PEARL RECT	MATT	J39/M	30	9,20mm / 0,36"	P C3 R11
	A045822	STRU IWA WHITE RECT	MATT	J39/M	30	8,40mm / 0,33"	P C3 R11

SPECIAL PIECES

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
	A046639	PAR ANGULO REJILLA MODULAR IWA BONE	MAT T	K39/P	1	28,60mm / 1,13"	  
	A046641	PAR ANGULO REJILLA MODULAR IWA PEARL	MAT T	K39/P	1	28,60mm / 1,13"	  
	A046640	PAR ANGULO REJILLA MODULAR IWA WHITE	MAT T	K39/P	1	28,60mm / 1,13"	  
	A045880	REJILLA MODULAR IWA BONE	MAT T	K41/P		27,40mm / 1,08"	  
	A045881	REJILLA MODULAR IWA PEARL	MAT T	K41/P		27,40mm / 1,08"	  
	A045882	REJILLA MODULAR IWA WHITE	MAT T	K41/P		27,40mm / 1,08"	  
	A045826	BORDE DESBORDANTE IWA BONE	MAT T	K94/P	4	43,40mm / 1,71"	  
	A045827	BORDE DESBORDANTE IWA PEARL	MAT T	K94/P	4	43,40mm / 1,71"	  
	A045828	BORDE DESBORDANTE IWA WHITE	MAT T	K94/P	4	43,40mm / 1,71"	  
	A044518	PELDAÑO RECTO ANT. C3 IWA BONE	MAT T	K91/P	4	32,20mm / 1,27"	   
	A044520	PELDAÑO RECTO ANT. C3 IWA PEARL	MAT T	K91/P	4	32,20mm / 1,27"	   
	A044516	PELDAÑO RECTO ANT. C3 IWA WHITE	MAT T	K91/P	4	32,20mm / 1,27"	   
	A045823	BORDE PISCINA IWA BONE	MAT T	K94/P	4	43,40mm / 1,71"	  
	A045824	BORDE PISCINA IWA PEARL	MAT T	K94/P	4	43,40mm / 1,71"	  
	A045825	BORDE PISCINA IWA WHITE	MAT T	K94/P	4	43,40mm / 1,71"	  
	A047528	PAR ANGULO PISCINA EXT. IWA BONE	MAT T	K39/P	4	-	  
	A047529	PAR ANGULO PISCINA EXT. IWA PEARL	MAT T	K39/P	4	-	  
	A047530	PAR ANGULO PISCINA EXT. IWA WHITE	MAT T	K39/P	4	-	  
	A047531	PAR ANGULO PISCINA INT. IWA BONE	MAT T	K39/P	4	43,80mm / 1,72"	  
	A047532	PAR ANGULO PISCINA INT. IWA PEARL	MAT T	K39/P	4	43,80mm / 1,72"	  
	A047533	PAR ANGULO PISCINA INT. IWA WHITE	MAT T	K39/P	4	43,80mm / 1,72"	  

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
	A044526	M-STICK IWA BONE	MAT T	K16/P		28,60mm / 1,13"	 
	A044528	M-STICK IWA PEARL	MAT T	K16/P		28,60mm / 1,13"	 
	A044524	M-STICK IWA WHITE	MAT T	K16/P		28,60mm / 1,13"	 
	A044529	MALLA IWA BONE (HEXA)	MAT T	K58/P		9,90mm / 0,39"	 
	A044530	MALLA IWA PEARL (HEXA)	MAT T	K58/P		9,90mm / 0,39"	 
	A044527	MALLA IWA WHITE (HEXA)	MAT T	K58/P		9,90mm / 0,39"	 
	A044523	MOSAICO IWA BONE	MAT T	K01/P		28,60mm / 1,13"	 
	A044525	MOSAICO IWA PEARL	MAT T	K01/P		28,60mm / 1,13"	 
	A044522	MOSAICO IWA WHITE	MAT T	K01/P		28,60mm / 1,13"	 

BORDE DESBORDANTE IWA BONE 28X66,5.
STRU IWA BONE RECT 60X120.
REJILLA MODULAR IWA BONE 24,5X30.



KAMARI STONE



- MORE INFO

- PORCELAIN TILES

- 2026
- STONE COLLECTIONS
- NEW



- SPECS
P  V2

ANTI-SLIP KAMARI STONE BEIGE MATT RECT 60X120.
PELDAÑO RECTO ANT. C3 KAMARI STONE BEIGE 33X120.
OCEAN BLUE OXID 15X15.



KAMARI STONE



- MORE INFO

AVAILABLE COLORS



BEIGE

- PORCELAIN TILES



ANTI-SLIP KAMARI STONE BEIGE MATT RECT 60X120.
PELDAÑO RECTO ANT. C3 KAMARI STONE BEIGE 33X120.
OCEAN BLUE OXID 15X15.

- 2026
- STONE COLLECTIONS
- NEW



- SPECS
P
V2

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
120X280 / 48"X110"	A047557	KAMARI STONE BEIGE LAPAT TO RECT	LAPPED	W02/M	4	6,00mm / 0,24"	
	A048428	ANTI-SLIP KAMARI STONE BEIGE MATT RECT	MATT	V99/M	11	-	
	A047555	KAMARI STONE BEIGE LAPAT TO RECT	LAPPED	V98/M	11	-	
	A047554	KAMARI STONE BEIGE MATT RECT	MATT	V97/M	11	-	
	A047822	ANTI-SLIP KAMARI STONE BEIGE MATT RECT	MATT	V96/M	22	-	
	A047553	KAMARI STONE BEIGE LAPAT TO RECT	LAPPED	V94/M	22	-	
	A047552	KAMARI STONE BEIGE MATT RECT	MATT	V93/M	22	-	
	A047821	VECTOR STONE BEIGE RECT	MATT	V95/M	22	-	

SPECIAL PIECES

- SPECS

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
33X120 / 13"X48"	A048254	PELDAÑO RECTO ANT. C3 KAMARI STONE BEIGE	MATT	K91/P	4	-	





ANTI-SLIP KINSTONE STEAM RECT 60X120.
PELDAÑO RECTO ANT C3 KINSTONE STEAM 33X120.







AVAILABLE COLORS



MIST



CHALK



DAKAR



STEAM



ANTI-SLIP KINSTONE CHALK RECT 60X120.
KINSTONE CHALK RECT 60X120.
NIAGARA GREEN 15X15.

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
30X90 / 12"X36"	A040380	KINSTONE CHALK RECT	MATT	R19/M	16	10,80mm / 0,43"	PB
	A040385	KINSTONE DAKAR RECT	MATT	R19/M	16	10,80mm / 0,43"	PB
	A040387	KINSTONE STEAM RECT	MATT	R19/M	16	10,80mm / 0,43"	PB
	A040397	* SHOJI DAKAR RECT	MATT	N52/M	4	10,80mm / 0,43"	PB
	A040398	** SHOJI STEAM RECT	MATT	N52/M	4	10,80mm / 0,43"	PB
	A040389	SKETCH MIX CHALK RECT	MATT	N52/M	6	10,80mm / 0,43"	PB
	A040392	SKETCH MIX DAKAR RECT	MATT	N52/M	6	10,80mm / 0,43"	PB
	A040394	SKETCH MIX STEAM RECT	MATT	N52/M	6	10,80mm / 0,43"	PB

* RECOMMENDED FLOORS: KINSTONE DAKAR RECT 60X60- KINWOOD WALNUT RECT 22X120

** RECOMMENDED FLOORS: KINSTONE STEAM RECT 60X60- KINWOOD WALNUT RECT 22X120



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
120X280 / 48"X110"	A041202	KINSTONE CHALK RECT	MATT	M01/M	3	6,50mm / 0,26"	P
	A041205	KINSTONE DAKAR RECT	MATT	M01/M	3	6,50mm / 0,26"	P
	A041203	KINSTONE MIST RECT	MATT	M01/M	3	6,50mm / 0,26"	P
	A041204	KINSTONE STEAM RECT	MATT	M01/M	3	6,50mm / 0,26"	P
120X120 / 48"X48"	A045026	KINSTONE CHALK RECT	MATT	L99/M	6	8,80mm / 0,35"	P
	A045025	KINSTONE DAKAR RECT	MATT	L99/M	6	8,80mm / 0,35"	P
90X90 / 36"X36"	A040696	ANTI-SLIP KINSTONE CHALK RECT	MATT	L89/M	6	9,40mm / 0,37"	P C3 R10
	A040697	ANTI-SLIP KINSTONE DAKAR RECT	MATT	L89/M	6	9,40mm / 0,37"	P C3 R10
	A040698	ANTI-SLIP KINSTONE MIST RECT	MATT	L89/M	6	9,40mm / 0,37"	P C3 R10
	A040699	ANTI-SLIP KINSTONE STEAM RECT	MATT	L89/M	6	9,40mm / 0,37"	P C3 R10
	A040692	KINSTONE CHALK RECT	MATT	L88/M	6	9,40mm / 0,37"	P
	A040693	KINSTONE DAKAR RECT	MATT	L88/M	6	9,40mm / 0,37"	P
	A040694	KINSTONE MIST RECT	MATT	L88/M	6	9,40mm / 0,37"	P
	A040695	KINSTONE STEAM RECT	MATT	L88/M	6	9,40mm / 0,37"	P
	A040381	ANTI-SLIP KINSTONE CHALK RECT	MATT	L90/M	12	9,10mm / 0,36"	P C3 R10
	A040382	ANTI-SLIP KINSTONE DAKAR RECT	MATT	L90/M	12	9,10mm / 0,36"	P C3 R10
60X120 / 24"X48"	A040384	ANTI-SLIP KINSTONE MIST RECT	MATT	L90/M	12	9,10mm / 0,36"	P C3 R10
	A040383	ANTI-SLIP KINSTONE STEAM RECT	MATT	L90/M	12	9,10mm / 0,36"	P C3 R10
	A040376	KINSTONE CHALK RECT	MATT	J53/M	12	9,10mm / 0,36"	P
	A040377	KINSTONE DAKAR RECT	MATT	J53/M	12	9,10mm / 0,36"	P
	A040379	KINSTONE MIST RECT	MATT	J53/M	12	9,10mm / 0,36"	P
	A040378	KINSTONE STEAM RECT	MATT	J53/M	12	9,10mm / 0,36"	P
	A040415	KINSTONE CHALK RECT	MATT	J13/M	19	9,10mm / 0,36"	P
	A040417	KINSTONE DAKAR RECT	MATT	J13/M	19	9,10mm / 0,36"	P
	A040421	KINSTONE MIST RECT	MATT	J13/M	19	9,10mm / 0,36"	P
	A040419	KINSTONE STEAM RECT	MATT	J13/M	19	9,10mm / 0,36"	P

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.



~ MORE INFO



ANTI-SLIP KINSTONE MIST RECT 60X120.
PELDAÑO RECTO ANT C3 KINSTONE MIST 33X120.

SPECIAL PIECES

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
33X120 / 13"X48" 	A040757	PELDAÑO RECTO ANT C3 KINSTONE CHALK	MAT T	K91/P	4	32,50mm / 1,28"	   
	A040758	PELDAÑO RECTO ANT C3 KINSTONE DAKAR	MAT T	K91/P	4	32,50mm / 1,28"	   
	A040760	PELDAÑO RECTO ANT C3 KINSTONE MIST	MAT T	K91/P	4	32,50mm / 1,28"	   
	A040759	PELDAÑO RECTO ANT C3 KINSTONE STEAM	MAT T	K91/P	4	32,50mm / 1,28"	   
8X60 / 3"X24" 	A040905	ROD. KINSTONE CHALK	MAT T	K24/P		8,30mm / 0,33"	
	A040906	ROD. KINSTONE DAKAR	MAT T	K24/P		8,30mm / 0,33"	
	A040908	ROD. KINSTONE MIST	MAT T	K24/P		8,30mm / 0,33"	
	A040907	ROD. KINSTONE STEAM	MAT T	K24/P		8,30mm / 0,33"	
30X30 / 12"X12" 	A040403	M-STICK KINSTONE CHALK	MAT T	K16/P		9,40mm / 0,37"	 
	A040404	M-STICK KINSTONE DAKAR	MAT T	K16/P		9,40mm / 0,37"	 
	A040407	M-STICK KINSTONE MIST	MAT T	K16/P		9,40mm / 0,37"	 
	A040405	M-STICK KINSTONE STEAM	MAT T	K16/P		9,40mm / 0,37"	 
30X30 (5X5) / 12"X12" 	A040410	MOSAICO KINSTONE CHALK	MAT T	K01/P		9,40mm / 0,37"	 
	A040411	MOSAICO KINSTONE DAKAR	MAT T	K01/P		9,40mm / 0,37"	 
	A040413	MOSAICO KINSTONE MIST	MAT T	K01/P		9,40mm / 0,37"	 
	A040412	MOSAICO KINSTONE STEAM	MAT T	K01/P		9,40mm / 0,37"	 





ANTI-SLIP KOEN CARMELLO MATT RECT 20X120.
PELDAÑO RECTO ANT. C3 KOEN CARMELLO 33X120.

KOEN



~MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



CARAMELLO



MIELE



ANTI-SLIP KOEN CARAMELLO MATT RECT 20X120.
PELDAÑO RECTO ANT. C3 KOEN CARAMELLO 33X120.

~ 2026

~ WOOD COLLECTIONS

apegrupo

~ SPECS




SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
30X120 / 12"X48"	A036370	KOEN CARAMELLO MATT RECT	MATT	R52/M	12	8,90mm / 0,35"	P RU5
	A036371	KOEN MIELE MATT RECT	MATT	R52/M	12	8,90mm / 0,35"	P RU5
20X120 / 8"X48"	A036303	ANTI-SLIP KOEN CARAMELLO MATT RECT	MATT	N72/M	20	9,10mm / 0,36"	P C3 R11 RU5
	A036304	ANTI-SLIP KOEN MIELE MATT RECT	MATT	N72/M	20	9,10mm / 0,36"	P C3 R11 RU5
	A036297	KOEN CARAMELLO MATT RECT	MATT	R52/M	20	9,10mm / 0,36"	P RU5
	A036298	KOEN MIELE MATT RECT	MATT	R52/M	20	9,10mm / 0,36"	P RU5
	A036522	ZAIKU CARAMELLO MATT RECT	MATT	P44/M	4	8,40mm / 0,33"	P RU5
80X80 / 32"X32"							
40X120 / 16"X48"	A036388	KI CARAMELLO RECT	MATT	R32/M	6	10,80mm / 0,43"	PB
	A036389	KI MIELE RECT	MATT	R32/M	6	10,80mm / 0,43"	PB

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
33X120 / 13"X48"	A036375	PELDAÑO RECTO ANT. C3 KOEN CARAMELLO	MATT	K91/P	4	32,20mm / 1,27"	C3R11RU5
	A036376	PELDAÑO RECTO ANT. C3 KOEN MIELE	MATT	K91/P	4	32,20mm / 1,27"	C3R11RU5
	A036378	PELDAÑO RECTO C1 KOEN CARAMELLO	MATT	K91/P	4	32,20mm / 1,27"	RU5
	A036379	PELDAÑO RECTO C1 KOEN MIELE	MATT	K91/P	4	32,20mm / 1,27"	RU5
8X60 / 3"X24"	A039459	PAR ZANQUIN RECTO KOEN CARAMELLO MATT	MATT	K09/P		8,70mm / 0,34"	P
	A039461	PAR ZANQUIN RECTO KOEN MIELE MATT	MATT	K09/P		8,70mm / 0,34"	P
8X60 / 3"X24"	A037630	ROD. KOEN CARAMELLO MATT	MATT	K24/P		8,70mm / 0,34"	P
	A037631	ROD. KOEN MIELE MATT	MATT	K24/P		8,70mm / 0,34"	P

KYOTO



- MORE INFO

- PORCELAIN TILES

- 2026

- STONE COLLECTIONS

- NEW



- SPECS



ANTI-SLIP KYOTO IVORY RECT 120X120.
KYOTO IVORY RECT 30X60.
BORDE DESBORDANTE KYOTO IVORY 28X66.5.
REJILLA MODULAR KYOTO IVORY 24,5X30.



KYOTO



- MORE INFO

- PORCELAIN TILES

- 2026
- STONE COLLECTIONS
- NEW



- SPECS
P M V2

ANTI-SLIP KYOTO IVORY RECT 60X120.
PELDAÑO RECTO ANT. C3 KYOTO IVORY 33X120.
SINTRA MISTYBLUE 12,4X12,4.



ANTI-SLIP KYOTO TAUPE RECT 120X120.
PELDAÑO RECTO ANT. C3 KYOTO TAUPE 33X120.
KUTA GREEN 15X15.



KYOTO




~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS




BEIGE



IVORY



TAUPE



WHITE



ANTI-SLIP KYOTO BEIGE RECT 120X120.
BORDE DESBORDANTE KYOTO BEIGE 28X66,5.
REJILLA MODULAR KYOTO BEIGE 24,5X30.
KYOTO BEIGE RECT 30X60.

~ 2026

~ STONE COLLECTIONS

~ NEW



~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
120X120 / 48"X48"	A044720	ANTI-SLIP KYOTO BEIGE RECT	MATT	V59/M	7	9,00mm / 0,35"	C3 R11 RU5
	A044719	ANTI-SLIP KYOTO IVORY RECT	MATT	V59/M	7	9,00mm / 0,35"	C3 R11 RU5
	A044721	ANTI-SLIP KYOTO TAUPE RECT	MATT	V59/M	7	9,00mm / 0,35"	C3 R11 RU5
	A045867	ANTI-SLIP KYOTO WHITE RECT	MATT	V59/M	7	9,00mm / 0,35"	C3 R11 RU5
	A044716	KYOTO BEIGE RECT	MATT	V58/M	7	9,00mm / 0,35"	C2 R10 RU5
90X90 / 36"X36"	A044715	KYOTO IVORY RECT	MATT	V58/M	7	9,00mm / 0,35"	C2 R10 RU5
	A044717	KYOTO TAUPE RECT	MATT	V58/M	7	9,00mm / 0,35"	C2 R10 RU5
	A045866	KYOTO WHITE RECT	MATT	V58/M	7	9,00mm / 0,35"	C2 R10 RU5
	A046674	ANTI-SLIP KYOTO BEIGE RECT	MATT	V92/M	9	9,20mm / 0,36"	C3 R11 RU5
	A046673	ANTI-SLIP KYOTO IVORY RECT	MATT	V92/M	9	9,20mm / 0,36"	C3 R11 RU5
60X120 / 24"X48"	A046675	ANTI-SLIP KYOTO TAUPE RECT	MATT	V92/M	9	9,20mm / 0,36"	C3 R11 RU5
	A046676	ANTI-SLIP KYOTO WHITE RECT	MATT	V92/M	9	9,20mm / 0,36"	C3 R11 RU5
	A045236	KYOTO BEIGE RECT	MATT	V63/M	9	9,20mm / 0,36"	C2 R10 RU5
	A045235	KYOTO IVORY RECT	MATT	V63/M	9	9,20mm / 0,36"	C2 R10 RU5
	A045237	KYOTO TAUPE RECT	MATT	V63/M	9	9,20mm / 0,36"	C2 R10 RU5
60X60 / 24"X24"	A045872	KYOTO WHITE RECT	MATT	V63/M	9	9,20mm / 0,36"	C2 R10 RU5
	A044729	ANTI-SLIP KYOTO BEIGE RECT	MATT	V60/M	14	9,60mm / 0,38"	C3 R11 RU5
	A044728	ANTI-SLIP KYOTO IVORY RECT	MATT	V60/M	14	9,60mm / 0,38"	C3 R11 RU5
	A044730	ANTI-SLIP KYOTO TAUPE RECT	MATT	V60/M	14	9,60mm / 0,38"	C3 R11 RU5
	A045870	ANTI-SLIP KYOTO WHITE RECT	MATT	V60/M	14	9,60mm / 0,38"	C3 R11 RU5
30X60 / 12"X24"	A044726	AVENSIS BEIGE RECT	MATT	V57/M	14	9,60mm / 0,38"	
	A044725	AVENSIS IVORY RECT	MATT	V57/M	14	9,60mm / 0,38"	
	A044727	AVENSIS TAUPE RECT	MATT	V57/M	14	9,60mm / 0,38"	
	A045871	AVENSIS WHITE RECT	MATT	V57/M	14	9,60mm / 0,38"	
	A044723	KYOTO BEIGE RECT	MATT	V17/M	14	9,60mm / 0,38"	C2 R10 RU5
30X30 / 12"X12"	A044722	KYOTO IVORY RECT	MATT	V17/M	14	9,60mm / 0,38"	C2 R10 RU5
	A044724	KYOTO TAUPE RECT	MATT	V17/M	14	9,60mm / 0,38"	C2 R10 RU5
	A045869	KYOTO WHITE RECT	MATT	V17/M	14	9,60mm / 0,38"	C2 R10 RU5
	A044735	KYOTO BEIGE RECT	MATT	V61/M	28	9,10mm / 0,36"	C2 R10 RU5
	A044734	KYOTO IVORY RECT	MATT	V61/M	28	9,10mm / 0,36"	C2 R10 RU5
30X60 / 12"X24"	A044736	KYOTO TAUPE RECT	MATT	V61/M	28	9,10mm / 0,36"	C2 R10 RU5
	A045868	KYOTO WHITE RECT	MATT	V61/M	28	9,10mm / 0,36"	C2 R10 RU5
	A047535	KYOTO BEIGE RECT	MATT	V61/M	56	9,10mm / 0,36"	C2 R10 RU5
	A047534	KYOTO IVORY RECT	MATT	V61/M	56	9,10mm / 0,36"	C2 R10 RU5
	A047536	KYOTO TAUPE RECT	MATT	V61/M	56	9,10mm / 0,36"	C2 R10 RU5
30X30 / 12"X12"	A047537	KYOTO WHITE RECT	MATT	V61/M	56	9,10mm / 0,36"	C2 R10 RU5

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

KYOTO



~ MORE INFO

~ PORCELAIN TILES

~ 2026

~ STONE COLLECTIONS

~ NEW

apegrupo





~ SPECS

M

V2



SPECIAL PIECES

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
	A047517	REJILLA MODULAR KYOTO BEIGE	MATT	K41/P	4	-	  
	A047516	REJILLA MODULAR KYOTO IVORY	MATT	K41/P	4	-	  
	A047518	REJILLA MODULAR KYOTO TAUPE	MATT	K41/P	4	-	  
	A047519	REJILLA MODULAR KYOTO WHITE	MATT	K41/P	4	-	  
	A047525	PAR ANGULO REJILLA MODULAR KYOTO BEIGE	MATT	K39/P	4	9,30mm / 0,37"	  
	A047524	PAR ANGULO REJILLA MODULAR KYOTO IVORY	MATT	K39/P	4	9,30mm / 0,37"	  
	A047526	PAR ANGULO REJILLA MODULAR KYOTO TAUPE	MATT	K39/P	4	9,30mm / 0,37"	  
	A047527	PAR ANGULO REJILLA MODULAR KYOTO WHITE	MATT	K39/P	4	9,30mm / 0,37"	  
	A047521	BORDE DESBORDANTE KYOTO BEIGE	MATT	K94/P	4	29,40mm / 1,16"	  
	A047520	BORDE DESBORDANTE KYOTO IVORY	MATT	K94/P	4	29,40mm / 1,16"	  
	A047522	BORDE DESBORDANTE KYOTO TAUPE	MATT	K94/P	4	29,40mm / 1,16"	  
	A047523	BORDE DESBORDANTE KYOTO WHITE	MATT	K94/P	4	29,40mm / 1,16"	  
	A044732	PELDAÑO RECTO ANT. C3 KYOTO BEIGE	MATT	K91/P	4	32,00mm / 1,26"	   
	A044731	PELDAÑO RECTO ANT. C3 KYOTO IVORY	MATT	K91/P	4	32,00mm / 1,26"	   
	A044733	PELDAÑO RECTO ANT. C3 KYOTO TAUPE	MATT	K91/P	4	32,00mm / 1,26"	   
	A045876	PELDAÑO RECTO ANT. C3 KYOTO WHITE	MATT	K91/P	4	32,00mm / 1,26"	   
	A044738	M-STICK KYOTO BEIGE	MATT	K16/P		9,30mm / 0,37"	 
	A044737	M-STICK KYOTO IVORY	MATT	K16/P		9,30mm / 0,37"	 
	A044739	M-STICK KYOTO TAUPE	MATT	K16/P		9,30mm / 0,37"	 
	A045875	M-STICK KYOTO WHITE	MATT	K16/P		9,30mm / 0,37"	 
	A044741	MOSAICO KYOTO BEIGE	MATT	K01/P		9,30mm / 0,37"	 
	A044740	MOSAICO KYOTO IVORY	MATT	K01/P		9,30mm / 0,37"	 
	A044742	MOSAICO KYOTO TAUPE	MATT	K01/P		9,30mm / 0,37"	 
	A045874	MOSAICO KYOTO WHITE	MATT	K01/P		9,30mm / 0,37"	 
	A044744	MALLA KYOTO BEIGE (HEXA)	MATT	K58/P		-	 
	A044743	MALLA KYOTO IVORY (HEXA)	MATT	K58/P		-	 
	A044745	MALLA KYOTO TAUPE (HEXA)	MATT	K58/P		-	 
	A045873	MALLA KYOTO WHITE (HEXA)	MATT	K58/P		-	 

ANTI-SLIP KYOTO BEIGE RECT 120X120.
PELDAÑO RECTO ANT. C3 KYOTO BEIGE 33X120.
KUTA GREEN 15X15.
KYOTO BEIGE RECT 60X120.



OREGON



~ MORE INFO

~ PORCELAIN TILES

~ 2026
~ WOOD COLLECTIONS

ape grupo

~ SPECS
M V2



GINA 15X15.
PELDAÑO RECTO ANT. C3 OREGON NOGAL 33X120.
ANTI-SLIP OREGON NOGAL RECT 20X120.

OREGON



~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



NOGAL



~ 2026

~ WOOD COLLECTIONS



~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
20X120 / 8"X48"	A034151	ANTI-SLIP OREGON NOGAL RECT	MATT	N72/M	10	8,80mm / 0,35"	P, C3, R11, RU5, A
	A034144	OREGON NOGAL RECT	MATT	R52/M	10	8,80mm / 0,35"	P, RU5
8,5X44 / 3"X17"	A040263	CHEVRON OREGON NOGAL	MATT	N81/M	32	9,20mm / 0,36"	P, RU5

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.



STEP NOGAL RECT

30X90 / 12"X36"	A027350	STEP NOGAL RECT	MATT	N52/M	4	10,90mm / 0,43"	PB, A
-----------------	---------	-----------------	------	-------	---	-----------------	-------

SPECIAL PIECES

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
3,2X33 / 1,5"X13"	A032478	REMATE PELD, RECTO OREGON NOGAL	MATT	K36/P	4	-	P, RU5
33X120 / 13"X48"	A032161	PELDAÑO RECTO ANT. C3 OREGON NOGAL	MATT	K91/P	4	32,20mm / 1,27"	C3, R11, RU5, A
	A040088	PELDAÑO RECTO C1 OREGON NOGAL	MATT	K91/P	4	32,20mm / 1,27"	P, RU5
8X60 / 3"X24"	A039438	PAR ZANQUIN RECTO OREGON NOGAL	MATT	K09/P		8,40mm / 0,33"	P
8X60 / 3"X24"	A026973	ROD. OREGON NOGAL	MATT	K24/P		8,40mm / 0,33"	P



OXFORD ASHEN C3 30X60.
REJILLA OXFORD ASHEN 24,5X24,5.
BORDE DESBORDANTE OXFORD ASHEN 28X66,5.



OXFORD



- MORE INFO

- PORCELAIN TILES

- 2026

- STONE COLLECTIONS

apegrupo

- SPECS



MADEIRA MISTY BLUE 11,5X11,5.
OXFORD ASHEN C3 30X60.
PAR ANGULO PISCINA INT. OXFORD ASHEN 33X33.
BORDE PISCINA OXFORD ASHEN 28X66,5.



GLASS MOSAIC PIERRE DE BALI 31,5X39,6 (2,5X2,5).
OXFORD ASHEN C1 30X60.
PAR ANGULO PISCINA INT. OXFORD ASHEN 33X33.
BORDE PISCINA OXFORD ASHEN 28X66,5.

OXFORD



~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



ASHEN



PURE



OXFORD ASHEN C3 30X60.
REJILLA OXFORD ASHEN 24,5X24,5.
BORDE DESBORDANTE OXFORD ASHEN 28X66,5.

SPECIAL PIECES

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
4X4 / 1,5"X1,5"	A031998	REF. 232 UÑA OXFORD PURE 4x4	MATT	K06/P		15,00mm / 0,59"	
	A031999	REF. 232 UÑA OXFORD ASHEN 4x4	MATT	K06/P		15,00mm / 0,59"	
4X33 / 1,5"X13"	A032002	REF. 222 MEDIA CAÑA OXFORD PURE 4x33	MATT	K29/P		15,50mm / 0,61"	
	A032003	REF. 222 MEDIA CAÑA OXFORD ASHEN 4x33	MATT	K29/P		15,50mm / 0,61"	
9X30 / 3,5"X12"	A046275	ROD. OXFORD ASHEN	MATT	K34/P		8,30mm / 0,33"	
	A046274	ROD. OXFORD PURE	MATT	K34/P		8,30mm / 0,33"	

~ 2026

~ STONE COLLECTIONS

ape grupo

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
30X60 / 12"X24"	A044366	OXFORD ASHEN C1	MATT	R48/M	24	8,10mm / 0,32"	
	A044367	OXFORD ASHEN C3	MATT	L36/M	24	8,10mm / 0,32"	
	A044368	OXFORD PURE C1	MATT	R48/M	24	8,10mm / 0,32"	
	A044369	OXFORD PURE C3	MATT	L36/M	24	8,10mm / 0,32"	

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
28X66,5 / 11"X26"	A031986	BORDE PISCINA OXFORD PURE	MATT	K94/P	4	43,40mm / 1,71"	
	A031987	BORDE PISCINA OXFORD ASHEN	MATT	K94/P	4	43,40mm / 1,71"	
28X28 / 11"X11"	A038090	PAR ANGULO PISCINA EXT. OXFORD PURE	MATT	K39/P		44,00mm / 1,73"	
	A038091	PAR ANGULO PISCINA EXT. OXFORD ASHEN	MATT	K39/P		44,00mm / 1,73"	
24,5X24,5 / 9,4"X9,4"	A034958	REJILLA OXFORD PURE	MATT	K57/P	4	30,40mm / 1,20"	
	A034959	REJILLA OXFORD ASHEN	MATT	K57/P	4	30,40mm / 1,20"	
33X33 / 13"X13"	A038799	PAR ANGULO PISCINA INT. OXFORD PURE	MATT	K39/P	4	45,10mm / 1,78"	
	A038801	PAR ANGULO PISCINA INT. OXFORD ASHEN	MATT	K39/P	4	45,10mm / 1,78"	
33X33 / 13"X13"	A031977	PELDAÑO RECTO OXFORD PURE C3	MATT	K86/P	4	45,10mm / 1,78"	
	A031979	PELDAÑO RECTO OXFORD ASHEN C3	MATT	K86/P	4	45,10mm / 1,78"	
33X33 / 13"X13"	A031982	PAR CARTABON RECTO OXFORD PURE	MATT	K78/P		45,10mm / 1,78"	
	A031983	PAR CARTABON RECTO OXFORD ASHEN	MATT	K78/P		45,10mm / 1,78"	
28X66,5 / 11"X26"	A034955	BORDE DESBORDANTE OXFORD ASHEN	MATT	K94/P	4	43,40mm / 1,71"	
	A034954	BORDE DESBORDANTE OXFORD PURE	MATT	K94/P	4	43,40mm / 1,71"	



PETRA AUREA RECT 60X120.
PELDAÑO RECTO ANT. C3 ENEA AUREA 33X120

PETRA



~ MORE INFO

AVAILABLE COLORS



PETRA

~ PORCELAIN TILES



PETRA AUREA RECT 60X120.
PELDAÑO RECTO ANT. C3 ENEA AUREA 33X120

~ 2026

~ STONE COLLECTIONS

~ NEW



~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
120X120 / 48"X48"	A044709	ANTI-SLIP ENEA AUREA RECT	MATT	V04/M	5	9,10mm / 0,36"	C3 R11 RU5
	A044701	PETRA AUREA RECT	MATT	L99/M	5	9,10mm / 0,36"	RU5
90X90 / 36"X36"	A045777	PETRA AUREA RECT	MATT	L88/M	5	9,20mm / 0,36"	RU5
	A044711	ANTI-SLIP ENEA AUREA RECT	MATT	L90/M	10	9,10mm / 0,36"	C3 R11 RU5
	A044703	PETRA AUREA RECT	MATT	J53/M	10	9,10mm / 0,36"	RU5
	A044707	SILEA AUREA RECT	MATT	L98/M	7	9,10mm / 0,36"	
	A044705	TESARI AUREA RECT	MATT	L98/M	7	9,10mm / 0,36"	
15X15 / 6"X6"	A045378	PETRA AUREA	MATT	L29/M	28	7,60mm / 0,30"	RU5

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
33X120 / 13"X48"	A045207	PELDAÑO RECTO ANT. C3 ENEA AUREA	MATT	K91/P	4	31,80mm / 1,25"	

SEQUOIA



- MORE INFO

- PORCELAIN TILES

- 2026
- WOOD COLLECTIONS



- SPECS
M **V2**



CONTEMPORARY AQUA SEA 15X15.
ANTI-SLIP SEQUOIA BIRCH RECT 25X150.
PELDAÑO RECTO ANT. C3 SEQUOIA BIRCH 33X120.

SEQUOIA



~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



BIRCH



HONEY




WALNUT



SEQUOIA HONEY RECT 25X150.
ANTI-SLIP SEQUOIA HONEY RECT 25X150.

SPECIAL PIECES

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
8X60 / 3''X24''' 	A040153	ROD. SEQUOIA BIRCH	MATT	K24/P		8,80mm / 0,35"	
	A040155	ROD. SEQUOIA HONEY	MATT	K24/P		8,80mm / 0,35"	
	A040156	ROD. SEQUOIA WALNUT	MATT	K24/P		8,80mm / 0,35"	
8X60 / 3''X24''' 	A042566	PAR ZANQUIN RECTO SEQUOIA BIRCH	MATT	K09/P		8,80mm / 0,35"	
	A046659	PAR ZANQUIN RECTO SEQUOIA HONEY	MATT	K09/P		8,80mm / 0,35"	

~ SPECS




~ 2026

~ WOOD COLLECTIONS



~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
25X150 / 10''X59''' 	A039632	ANTI-SLIP SEQUOIA BIRCH RECT	MATT	L87/M	15	10,30mm / 0,41"	
	A039634	ANTI-SLIP SEQUOIA HONEY RECT	MATT	L87/M	15	10,30mm / 0,41"	
	A039635	ANTI-SLIP SEQUOIA WALNUT RECT	MATT	L87/M	15	10,30mm / 0,41"	
	A039169	▶ SEQUOIA BIRCH RECT	MATT	L80/M	15	10,30mm / 0,41"	
	A039171	▶ SEQUOIA HONEY RECT	MATT	L80/M	15	10,30mm / 0,41"	
	A039172	▶ SEQUOIA WALNUT RECT	MATT	L80/M	15	10,30mm / 0,41"	
20X120 / 8''X48''' 	A045843	ANTI-SLIP SEQUOIA BIRCH RECT	MATT	N71/M	15	8,90mm / 0,35"	
	A045844	ANTI-SLIP SEQUOIA HONEY RECT	MATT	N71/M	15	8,90mm / 0,35"	
	A045839	SEQUOIA BIRCH RECT	MATT	R53/M	15	8,90mm / 0,35"	
	A045841	SEQUOIA HONEY RECT	MATT	R53/M	15	8,90mm / 0,35"	
	A045842	SEQUOIA WALNUT RECT	MATT	R53/M	15	8,90mm / 0,35"	
	A040271	▶ CHEVRON SEQUOIA BIRCH	MATT	N81/M	32	9,50mm / 0,37"	
	A040272	▶ CHEVRON SEQUOIA HONEY	MATT	N81/M	32	9,50mm / 0,37"	
	A040273	▶ CHEVRON SEQUOIA WALNUT	MATT	N81/M	32	9,50mm / 0,37"	

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.




CHLOE HONEY RECT

60X120 REV / 24''X48''' 	A043084	▶ CHARLOTTE HONEY RECT	MATT	M78/M	4	8,40mm / 0,33"	
	A043086	▶ CHLOE HONEY RECT	MATT	M78/M	4	8,40mm / 0,33"	



CHARLOTTE HONEY RECT

SPECIAL PIECES

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
33X120 / 13''X48''' 	A042531	PELDAÑO RECTO ANT. C3 SEQUOIA BIRCH	MATT	K91/P		32,30mm / 1,27"	
	A042532	PELDAÑO RECTO ANT. C3 SEQUOIA HONEY	MATT	K91/P		32,30mm / 1,27"	
	A042533	PELDAÑO RECTO ANT. C3 SEQUOIA WALNUT	MATT	K91/P		32,30mm / 1,27"	
	A041634	PELDAÑO RECTO C1 SEQUOIA BIRCH	MATT	K91/P	4	32,30mm / 1,27"	
	A041636	PELDAÑO RECTO C1 SEQUOIA HONEY	MATT	K91/P	4	32,30mm / 1,27"	
	A041637	PELDAÑO RECTO C1 SEQUOIA WALNUT	MATT	K91/P	4	32,30mm / 1,27"	
33X150 / 13''X59''' 	A039639	PELDAÑO RECTO ANT. C3 SEQUOIA HONEY	MATT	K84/P	4	32,00mm / 1,26"	
	A039645	▶ PELDAÑO RECTO C1 SEQUOIA WALNUT	MATT	K84/P	4	32,00mm / 1,26"	

~ SPECS



SUPREME



~ MORE INFO

AVAILABLE COLORS



MARBLE

~ PORCELAIN TILES



ANTI-SLIP SUPREME MARBLE STRU RECT 60X120.
PELDAÑO RECTO ANT. C3 SUPREME MARBLE 33X120.
SELVA 15X15.

~ 2026

~ MARBLE COLLECTIONS

~ NEW

ape grupo

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
90X90 / 36"X36"	A044304	SUPREME MARBLE MATT RECT	MATT	L88/M	12	9,40mm / 0,37"	M RU4
60X120 / 24"X48"	A043184	ANTI-SLIP SUPREME MARBLE STRU RECT	MATT	L90/M	12	8,70mm / 0,34"	M C3 R10 RU5
	A043182	SUPREME MARBLE MATT RECT	MATT	J53/M	12	8,70mm / 0,34"	M RU5
	A043026	SUPREME MARBLE POL RECT	GRAIN POL.	J89/M	12	8,70mm / 0,34"	G RU4
60X60 / 24"X24"	A044260	SUPREME MARBLE R10 RECT	MATT	J54/M	24	8,70mm / 0,34"	M R10 RU5

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
33X120 / 13"X48"	A043262	PELDAÑO RECTO ANT. C3 SUPREME MARBLE	MATT	K91/P		32,30mm / 1,27"	



ANTI-SLIP SUPREME MARBLE STRU RECT 60X120.
PELDAÑO RECTO ANT. C3 SUPREME MARBLE 33X120.
OCEAN GREEN 15X15.



WABI SABI



~ MORE INFO

~ PORCELAIN TILES

~ 2026
~ CEMENT COLLECTIONS



~ SPECS



STRU WABI TAUPE RECT 60X120.
GLASS MOSAIC WABI TAUPE 31,5X39,6 (2,5X2,5).
PELDAÑO RECTO ANT. C3 WABI TAUPE 33X120.



WABI SABI



- MORE INFO

- PORCELAIN TILES

PELDAÑO RECTO ANT. C3 TRAVERTINO BRESCIA 33X120.
TRAVERTINO BRESCIA MATT RECT 30X60.
REJILLA WABI SABBIA 24,5X24,5.
BORDE DESBORDANTE WABI SABBIA 28X66,5.



- 2026
- CEMENT COLLECTIONS



- SPECS



STRU WABI BIANCO RECT 60X120.
GLASS MOSAIC WABI BIANCO 31,5X39,6 (2,5X2,5).
PELDAÑO RECTO ANT. C3 WABI BIANCO 33X120.

WABI SABI



~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



WABI BIANCO



WABI GRAFITE



WABI SABBIA



WABI TAUPE



TRAVERTINO BRESCIA



TRAVERTINO SILVER



STRU WABI SABBIA RECT 60X120.
GLASS MOSAIC WABI SABBIA 31,5X39,6 (2,5X2,5).
PELDAÑO RECTO ANT. C3 WABI SABBIA 33X120.

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
20X120 / 8"X48"	A034518	ANTI-SLIP MADAGASCAR NOCE RECT	MATT	N72/M	18	9,00mm / 0,35"	M C3 R11 V3 RU5
	A033533	MADAGASCAR NOCE RECT	MATT	R52/M	18	9,00mm / 0,35"	M V3 RU5

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

~ 2026

~ CEMENT COLLECTIONS

apegrupo

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
120X120 / 48"X48"	A033990	STRU WABI SABBIA RECT	MATT	J16/M	6	10,10mm / 0,40"	M C3 R11 V2 RU5
	A033988	STRU WABI TAUPE RECT	MATT	J16/M	6	10,10mm / 0,40"	M C3 R11 V2 RU5
	A033984	WABI BIANCO LAPATTO RECT	LAPPED	P05/M	6	10,10mm / 0,40"	* C2 R10 V2 RU5
	A033981	WABI GRAFITE LAPATTO RECT	LAPPED	P05/M	6	10,10mm / 0,40"	* C2 R10 V2 RU5
	A033985	WABI SABBIA LAPATTO RECT	LAPPED	P05/M	6	10,10mm / 0,40"	* C2 R10 V2 RU5
60X120 / 24"X48"	A033983	WABI TAUPE LAPATTO RECT	LAPPED	P05/M	6	10,10mm / 0,40"	* C2 R10 V2 RU5
	A034191	STRU WABI BIANCO RECT	MATT	N74/M	12	10,30mm / 0,41"	M C3 R11 V2 RU5
	A034192	STRU WABI GRAFITE RECT	MATT	N74/M	12	10,30mm / 0,41"	M C3 R11 V2 RU5
	A034193	STRU WABI SABBIA RECT	MATT	N74/M	12	10,30mm / 0,41"	M C3 R11 V2 RU5
	A034194	STRU WABI TAUPE RECT	MATT	N74/M	12	10,30mm / 0,41"	M C3 R11 V2 RU5
60X60 / 24"X24"	A034183	TRAVERTINO BRESCIA MATT RECT	MATT	R60/M	6	10,20mm / 0,40"	M V2 RU5
	A034184	TRAVERTINO BRESCIA POL RECT	GLAZE POL.	J18/M	6	10,20mm / 0,40"	* V2 RU4
	A034155	TRAVERTINO BRESCIA STRU RECT	MATT	N74/M	6	10,20mm / 0,40"	M C3 V2 RU5
	A034044	TRAVERTINO SILVER MATT RECT	MATT	R60/M	6	10,20mm / 0,40"	M V2 RU5
	A034045	TRAVERTINO SILVER STRU RECT	MATT	N74/M	6	10,20mm / 0,40"	M C3 V2 RU5
	A034195	WABI BIANCO LAPATTO RECT	LAPPED	N37/M	12	10,30mm / 0,41"	* C2 R10 V2 RU5
	A034196	WABI GRAFITE LAPATTO RECT	LAPPED	N37/M	12	10,30mm / 0,41"	* C2 R10 V2 RU5
	A034197	WABI SABBIA LAPATTO RECT	LAPPED	N37/M	12	10,30mm / 0,41"	* C2 R10 V2 RU5
	A034198	WABI TAUPE LAPATTO RECT	LAPPED	N37/M	12	10,30mm / 0,41"	* C2 R10 V2 RU5
	A034199	STRU WABI BIANCO RECT	MATT	N33/M	24	9,30mm / 0,37"	M C3 R11 V2 RU5
	A034200	STRU WABI GRAFITE RECT	MATT	N33/M	24	9,30mm / 0,37"	M C3 R11 V2 RU5
	A034201	STRU WABI SABBIA RECT	MATT	N33/M	24	9,30mm / 0,37"	M C3 V2 RU5
	A034202	STRU WABI TAUPE RECT	MATT	N33/M	24	9,30mm / 0,37"	M C3 R11 V2 RU5
	A034360	TRAVERTINO BRESCIA MATT RECT	MATT	P07/M	12	9,40mm / 0,37"	M V2 RU5
	A034362	TRAVERTINO BRESCIA STRU RECT	MATT	N33/M	12	9,40mm / 0,37"	M C3 V2 RU5
	A034203	WABI BIANCO LAPATTO RECT	LAPPED	N43/M	24	9,30mm / 0,37"	* C2 R10 V2 RU5
	A034204	WABI GRAFITE LAPATTO RECT	LAPPED	N43/M	24	9,30mm / 0,37"	* C2 R10 V2 RU5
	A034205	WABI SABBIA LAPATTO RECT	LAPPED	N43/M	24	9,30mm / 0,37"	* C2 R10 V2 RU5
	A034206	WABI TAUPE LAPATTO RECT	LAPPED	N43/M	24	9,30mm / 0,37"	* C2 R10 V2 RU5
	A034207	STRU WABI BIANCO RECT	MATT	N33/M	48	10,00mm / 0,39"	M C3 R11 V2 RU5
30X60 / 12"X24"	A034208	STRU WABI GRAFITE RECT	MATT	N33/M	48	10,00mm / 0,39"	M C3 R11 V2 RU5
	A034209	STRU WABI SABBIA RECT	MATT	N33/M	48	10,00mm / 0,39"	M C3 R11 V2 RU5
	A034210	STRU WABI TAUPE RECT	MATT	N33/M	48	10,00mm / 0,39"	M C3 R11 V2 RU5
	A034366	TRAVERTINO BRESCIA MATT RECT	MATT	P07/M	24	9,40mm / 0,37"	M V2 RU5
	A034430	TRAVERTINO BRESCIA STRU RECT	MATT	N33/M	24	9,40mm / 0,37"	M C3 V2 RU5
	A034211	WABI BIANCO LAPATTO RECT	LAPPED	N43/M	48	10,00mm / 0,39"	* C2 R10 V2 RU5
	A034212	WABI GRAFITE LAPATTO RECT	LAPPED	N43/M	48	10,00mm / 0,39"	* C2 R10 V2 RU5
	A034213	WABI SABBIA LAPATTO RECT	LAPPED	N43/M	48	10,00mm / 0,39"	* C2 R10 V2 RU5
30X60 / 12"X24"	A034214	WABI TAUPE LAPATTO RECT	LAPPED	N43/M	48	10,00mm / 0,39"	* C2 R10 V2 RU5



WABI SABI



~ MORE INFO

~ PORCELAIN TILES

SPECIAL PIECES

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
	A034463	REJILLA TRAVERTINO BRESCIA	MATT	K57/P	4	30,70mm / 1,21"	M Π C3 R12 RU5 ❄️ 👤
	A034461	REJILLA WABI BIANCO	MATT	K57/P	4	30,30mm / 1,19"	M Π C3 R12 RU5 ❄️ 👤
	A034460	REJILLA WABI SABBIA	MATT	K57/P	4	30,30mm / 1,19"	M Π C3 R12 RU5 ❄️ 👤
	A034462	REJILLA WABI TAUPE	MATT	K57/P	4	30,30mm / 1,19"	M Π C3 R12 RU5 ❄️ 👤
	A034457	BORDE DESBORDANTE TRAVERTINO BRESCIA	MATT	K94/P	4	29,40mm / 1,16"	M Π C3 R11 RU5 ❄️ 👤
	A034455	BORDE DESBORDANTE WABI BIANCO	MATT	K94/P	4	30,00mm / 1,18"	M Π C3 R12 RU5 ❄️ 👤
	A034454	BORDE DESBORDANTE WABI SABBIA	MATT	K94/P	4	30,00mm / 1,18"	M Π C3 R12 RU5 ❄️ 👤
	A034456	BORDE DESBORDANTE WABI TAUPE	MATT	K94/P	4	30,00mm / 1,18"	M Π C3 R12 RU5 ❄️ 👤
	A034433	MOSAICO RUSTICO WABI BIANCO	LAPPED	K63/P	6	10,00mm / 0,39"	P ☼ 🔲 RU5 ❄️
	A034431	MOSAICO RUSTICO WABI GRAFITE	LAPPED	K63/P	6	10,00mm / 0,39"	P ☼ 🔲 RU5 ❄️
	A034432	MOSAICO RUSTICO WABI SABBIA	LAPPED	K63/P	6	10,00mm / 0,39"	P ☼ 🔲 RU5 ❄️
	A034434	MOSAICO RUSTICO WABI TAUPE	LAPPED	K63/P	6	10,00mm / 0,39"	P ☼ 🔲 RU5 ❄️
	A034437	MOSAICO WABI BIANCO	LAPPED	K01/P	6	10,00mm / 0,39"	P ☼ 🔲 RU5
	A034435	MOSAICO WABI GRAFITE	LAPPED	K01/P	6	10,00mm / 0,39"	P ☼ 🔲 RU5
	A034436	MOSAICO WABI SABBIA	LAPPED	K01/P	6	10,00mm / 0,39"	P ☼ 🔲 RU5
	A034438	MOSAICO WABI TAUPE	LAPPED	K01/P	6	10,00mm / 0,39"	P ☼ 🔲 RU5
	A034451	REMATE PELD. RECTO TRAVERTINO BRESCIA	MATT	K36/P	6	7,50mm / 0,30"	M Π RU5 ❄️
	A034452	REMATE PELD. RECTO TRAVERTINO SILVER	MATT	K36/P	6	7,50mm / 0,30"	M Π RU5 ❄️
	A034448	REMATE PELD. RECTO WABI BIANCO	MATT	K36/P	6	7,50mm / 0,30"	M Π RU5 ❄️
	A034446	REMATE PELD. RECTO WABI GRAFITE	MATT	K36/P	6	7,50mm / 0,30"	M Π RU5 ❄️
	A034447	REMATE PELD. RECTO WABI SABBIA	MATT	K36/P	6	7,50mm / 0,30"	M Π RU5 ❄️
	A034449	REMATE PELD. RECTO WABI TAUPE	MATT	K36/P	6	7,50mm / 0,30"	M Π RU5 ❄️
	A034444	PELDAÑO RECTO ANT. C3 TRAVERTINO BRESCIA	MATT	K91/P	4	31,90mm / 1,26"	M Π C3 R11 RU5 ❄️ 👤
	A034445	PELDAÑO RECTO ANT. C3 TRAVERTINO SILVER	MATT	K91/P	4	31,90mm / 1,26"	M Π C3 R11 RU5 ❄️ 👤
	A034441	PELDAÑO RECTO ANT. C3 WABI BIANCO	MATT	K91/P	4	32,40mm / 1,28"	M Π C3 R11 RU5 ❄️ 👤
	A034439	PELDAÑO RECTO ANT. C3 WABI GRAFITE	MATT	K91/P	4	32,40mm / 1,28"	M Π C3 R11 RU5 ❄️ 👤
	A034440	PELDAÑO RECTO ANT. C3 WABI SABBIA	MATT	K91/P	4	32,40mm / 1,28"	M Π C3 R11 RU5 ❄️ 👤
	A034442	PELDAÑO RECTO ANT. C3 WABI TAUPE	MATT	K91/P	4	32,40mm / 1,28"	M Π C3 R11 RU5 ❄️ 👤
	A036252	PELDAÑO RECTO C1 WABI BIANCO	MATT	K91/P	4	32,40mm / 1,28"	M Π RU5 ❄️
	A036251	PELDAÑO RECTO C1 WABI SABBIA	MATT	K91/P	4	32,40mm / 1,28"	M Π RU5 ❄️
	A036253	PELDAÑO RECTO C1 WABI TAUPE	MATT	K91/P	4	32,40mm / 1,28"	M Π RU5 ❄️


~ 2026

~ CEMENT COLLECTIONS

apegrupo

~ SPECS

V2

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
31,5X39,6 (2.5X2.5) / 12"X15,6" 	A042551	GLASS MOSAIC WABI BIANCO	MATT	V05/M		4,20mm / 0,17"	M 🔲 ❄️ 👤
	A042553	GLASS MOSAIC WABI SABBIA	MATT	V05/M		4,20mm / 0,17"	M 🔲 ❄️ 👤
	A042552	GLASS MOSAIC WABI TAUPE	MATT	V05/M		4,20mm / 0,17"	M 🔲 ❄️ 👤
							
		GLASS MOSAIC WABI BIANCO	GLASS MOSAIC WABI SABBIA	GLASS MOSAIC WABI TAUPE			
SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
	A034943	BORDE SKIMMER TRAVERTINO BRESCIA	MATT	K93/P	4	30,00mm / 1,18"	M Π C3 R11 RU5 ❄️ 👤
	A034944	BORDE SKIMMER TRAVERTINO SILVER	MATT	K93/P	4	30,00mm / 1,18"	M Π C3 R11 RU5 ❄️ 👤
	A035008	BORDE SKIMMER WABI BIANCO	MATT	K93/P	4	30,00mm / 1,18"	M Π C3 R11 RU5 ❄️ 👤
	A034945	BORDE SKIMMER WABI SABBIA	MATT	K93/P	4	30,00mm / 1,18"	M Π C3 R11 RU5 ❄️ 👤
	A034946	BORDE SKIMMER WABI TAUPE	MATT	K93/P	4	30,00mm / 1,18"	M Π C3 R11 RU5 ❄️ 👤
	A034481	ARISTA TRAVERTINO BRESCIA	MATT	K29/P		14,90mm / 0,59"	M Π RU5
	A034482	ARISTA TRAVERTINO SILVER	MATT	K29/P		14,90mm / 0,59"	M Π RU5
	A034479	ARISTA WABI BIANCO	MATT	K29/P	6	15,00mm / 0,59"	M Π RU5
	A034478	ARISTA WABI SABBIA	MATT	K29/P	6	15,00mm / 0,59"	M Π RU5
	A034480	ARISTA WABI TAUPE	MATT	K29/P	6	15,00mm / 0,59"	M Π RU5
	A034469	MEDIA CAÑA TRAVERTINO BRESCIA	MATT	K29/P		14,90mm / 0,59"	M Π RU5
	A034470	MEDIA CAÑA TRAVERTINO SILVER	MATT	K29/P		14,90mm / 0,59"	M Π RU5
	A034467	MEDIA CAÑA WABI BIANCO	MATT	K29/P	6	15,00mm / 0,59"	M Π RU5
	A034466	MEDIA CAÑA WABI SABBIA	MATT	K29/P	6	15,00mm / 0,59"	M Π RU5
	A034468	MEDIA CAÑA WABI TAUPE	MATT	K29/P	6	15,00mm / 0,59"	M Π RU5
	A034487	UÑA ARISTA TRAVERTINO BRESCIA	MATT	K06/P		7,50mm / 0,30"	M Π RU5
	A034488	UÑA ARISTA TRAVERTINO SILVER	MATT	K06/P		7,50mm / 0,30"	M Π RU5
	A034485	UÑA ARISTA WABI BIANCO	MATT	K06/P	6	13,10mm / 0,52"	M Π RU5
	A034484	UÑA ARISTA WABI SABBIA	MATT	K06/P	6	13,10mm / 0,52"	M Π RU5
	A034486	UÑA ARISTA WABI TAUPE	MATT	K06/P	6	13,10mm / 0,52"	M Π RU5
	A034475	UÑA CAÑA TRAVERTINO BRESCIA	MATT	K06/P		14,70mm / 0,58"	M Π RU5
	A034476	UÑA CAÑA TRAVERTINO SILVER	MATT	K06/P		14,70mm / 0,58"	M Π RU5
	A034473	UÑA CAÑA WABI BIANCO	MATT	K06/P	6	15,30mm / 0,60"	M Π RU5
	A034472	UÑA CAÑA WABI SABBIA	MATT	K06/P	6	15,30mm / 0,60"	M Π RU5
	A034474	UÑA CAÑA WABI TAUPE	MATT	K06/P	6	15,30mm / 0,60"	M Π RU5

WORK

- BY LUIGI ROMANELLI



- MORE INFO

- PORCELAIN TILES

- 2026

- CEMENT COLLECTIONS

apegrupo

- SPECS



WORK B CENERE RECT 60X120.
HIGH THICKNESS WORK B CENERE RECT 90X90.
REJILLA WORK B CENERE 24,5X24,5.
BORDE DESBORDANTE WORK B CENERE 28X66,5.
PIERRE DE BALI 15X15.



WORK

- BY LUIGI ROMANELLI



- MORE INFO

- PORCELAIN TILES



ANTI-SLIP WORK B TAUPE RECT 60X120.
PELDAÑO RECTO ANT. C3 WORK B TAUPE 33X120.

- 2026

- CEMENT COLLECTIONS

apegrupo

- SPECS



ANTI-SLIP WORK B TAUPE RECT 60X120.
BORDE DESBORDANTE WORK B TAUPE 28X66,5.
REJILLA WORK B TAUPE 24,5X24,5.

WORK

– BY LUIGI ROMANELLI



– MORE INFO

– PORCELAIN TILES

AVAILABLE COLORS



BIANCO



CENERE



COAL



TAUPE



ANTI-SLIP WORK B CENERE RECT 60X120.
WORK B CENERE RECT 120X280.
HIGH THICKNESS WORK B CENERE RECT 90X90.
PELDAÑO RECTO ANT. C3 WORK B CENERE 33X120.

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
30X60 / 12"X24"	A034401	ANTI-SLIP WORK B BIANCO RECT	MATT	P02/M	32	9,70mm / 0,38"	
	A034402	ANTI-SLIP WORK B CENERE RECT	MATT	P02/M	32	9,70mm / 0,38"	
	A034403	ANTI-SLIP WORK B COAL RECT	MATT	P02/M	32	9,70mm / 0,38"	
	A034404	ANTI-SLIP WORK B TAUPE RECT	MATT	P02/M	32	9,70mm / 0,38"	
	A033869	WORK B BIANCO RECT	MATT	P16/M	32	9,70mm / 0,38"	
	A033870	WORK B CENERE RECT	MATT	P16/M	32	9,70mm / 0,38"	
	A033871	WORK B COAL RECT	MATT	P16/M	32	9,70mm / 0,38"	
	A033920	WORK B TAUPE RECT	MATT	P16/M	32	9,70mm / 0,38"	

– 2026

– CEMENT COLLECTIONS

apegrupo

– SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
120X120 / 48"X48"	A033889	WORK B BIANCO RECT	MATT	P08/M	4	10,10mm / 0,40"	
	A033890	WORK B CENERE RECT	MATT	P08/M	4	10,10mm / 0,40"	
	A033891	WORK B COAL RECT	MATT	P08/M	4	10,10mm / 0,40"	
	A033935	WORK B TAUPE RECT	MATT	P08/M	4	10,10mm / 0,40"	
90X90 / 36"X36"	A035366	ANTI-SLIP WORK B BIANCO RECT	MATT	P18/M	8	20,10mm / 0,79"	
	A035367	ANTI-SLIP WORK B CENERE RECT	MATT	P18/M	8	20,10mm / 0,79"	
	A035370	ANTI-SLIP WORK B TAUPE RECT	MATT	P18/M	8	20,10mm / 0,79"	
	A036796	HIGH THICKNESS WORK B BIANCO RECT	MATT	N05/M	8	20,10mm / 0,79"	
	A036797	HIGH THICKNESS WORK B CENERE RECT	MATT	N05/M	8	20,10mm / 0,79"	
	A036798	HIGH THICKNESS WORK B COAL RECT	MATT	N05/M	8	20,10mm / 0,79"	
	A036799	HIGH THICKNESS WORK B TAUPE RECT	MATT	N05/M	8	20,10mm / 0,79"	
	A035362	WORK B BIANCO RECT	MATT	P09/M	8	20,10mm / 0,79"	
	A035363	WORK B CENERE RECT	MATT	P09/M	8	20,10mm / 0,79"	
60X120 / 24"X48"	A035364	WORK B COAL RECT	MATT	P09/M	8	20,10mm / 0,79"	
	A035365	WORK B TAUPE RECT	MATT	P09/M	8	20,10mm / 0,79"	
	A033861	ANTI-SLIP WORK B BIANCO RECT	MATT	P01/M	8	9,20mm / 0,36"	
	A033862	ANTI-SLIP WORK B CENERE RECT	MATT	P01/M	8	9,20mm / 0,36"	
	A033863	ANTI-SLIP WORK B COAL RECT	MATT	P01/M	8	9,20mm / 0,36"	
60X60 / 24"X24"	A033918	ANTI-SLIP WORK B TAUPE RECT	MATT	P01/M	8	9,20mm / 0,36"	
	A033857	WORK B BIANCO RECT	MATT	P11/M	8	9,20mm / 0,36"	
	A033858	WORK B CENERE RECT	MATT	P11/M	8	9,20mm / 0,36"	
	A033859	WORK B COAL RECT	MATT	P11/M	8	9,20mm / 0,36"	
	A033917	WORK B TAUPE RECT	MATT	P11/M	8	9,20mm / 0,36"	
	A033892	ANTI-SLIP WORK B BIANCO RECT	MATT	P02/M	16	9,50mm / 0,37"	
	A033893	ANTI-SLIP WORK B CENERE RECT	MATT	P02/M	16	9,50mm / 0,37"	
	A033894	ANTI-SLIP WORK B COAL RECT	MATT	P02/M	16	9,50mm / 0,37"	
	A033936	ANTI-SLIP WORK B TAUPE RECT	MATT	P02/M	16	9,50mm / 0,37"	
	A033865	WORK B BIANCO RECT	MATT	P16/M	16	9,50mm / 0,37"	
17,5X20,2 / 7"X8"	A033866	WORK B CENERE RECT	MATT	P16/M	16	9,50mm / 0,37"	
	A033867	WORK B COAL RECT	MATT	P16/M	16	9,50mm / 0,37"	
	A033919	WORK B TAUPE RECT	MATT	P16/M	16	9,50mm / 0,37"	
	A039522	HEXAWORK B BIANCO	MATT	P03/M	24	8,80mm / 0,35"	
	A039523	HEXAWORK B CENERE	MATT	P03/M	24	8,80mm / 0,35"	
	A039524	HEXAWORK B COAL	MATT	P03/M	24	8,80mm / 0,35"	
	A039525	HEXAWORK B TAUPE	MATT	P03/M	24	8,80mm / 0,35"	

– IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

WORK






- BY LUIGI ROMANELLI



- MORE INFO

- PORCELAIN TILES

SPECIAL PIECES

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
	A038066	POOLEGE HIGH THICKNESS WORK B BIANCO RECT	MATT	K93/P	8	20,60mm / 0,81"	P Pool edge C3 R11 RU5 Snowflake Person
	A038067	POOLEGE HIGH THICKNESS WORK B CENERE RECT	MATT	K93/P	8	20,60mm / 0,81"	P Pool edge C3 R11 RU5 Snowflake Person
	A038068	POOLEGE HIGH THICKNESS WORK B COAL RECT	MATT	K93/P	8	20,60mm / 0,81"	P Pool edge C3 R11 RU5 Snowflake Person
	A038069	POOLEGE HIGH THICKNESS WORK B TAUPE RECT	MATT	K93/P	8	20,60mm / 0,81"	P Pool edge C3 R11 RU5 Snowflake Person
	A034405	BORDE DESBORDANTE WORK B BIANCO	MATT	K94/P	4	29,90mm / 1,18"	U C3 R11 RU5 Snowflake Person
	A034406	BORDE DESBORDANTE WORK B CENERE	MATT	K94/P	4	29,90mm / 1,18"	U C3 R11 RU5 Snowflake Person
	A034408	BORDE DESBORDANTE WORK B TAUPE	MATT	K94/P	4	29,90mm / 1,18"	U C3 R11 RU5 Snowflake Person
	A034409	REJILLA WORK B BIANCO	MATT	K57/P	4	34,00mm / 1,34"	U C3 R12 RU5 Snowflake Person
	A034410	REJILLA WORK B CENERE	MATT	K57/P	4	34,00mm / 1,34"	U C3 R12 RU5 Snowflake Person
	A034412	REJILLA WORK B TAUPE	MATT	K57/P	4	34,00mm / 1,34"	U C3 R12 RU5 Snowflake Person
	A039018	PELD. INGL. SIMPLE ANTI-SLIP WORK B COAL	MATT	K91/P	4	31,80mm / 1,25"	P Grill C3 R11 RU5 Snowflake
	A040090	PELD. INGL. SIMPLE WORK B BIANCO	MATT	K91/P	8	31,80mm / 1,25"	P Grill RU5 Snowflake
	A046447	PELD. INGL. SIMPLE WORK B CENERE	MATT	K91/P	8	31,80mm / 1,25"	P Grill R10 RU5 Snowflake
	A039591	PELD. INGL. SIMPLE WORK B COAL	MATT	K91/P		31,80mm / 1,25"	P Grill RU5 Snowflake
	A046446	PELD. INGL. SIMPLE WORK B TAUPE	MATT	K91/P		31,80mm / 1,25"	P Grill RU5 Snowflake
	A034314	REMATE PELD. RECTO WORK B BIANCO	MATT	K36/P		7,60mm / 0,30"	U RU5 Snowflake
	A034315	REMATE PELD. RECTO WORK B CENERE	MATT	K36/P		7,60mm / 0,30"	U RU5 Snowflake
	A034317	REMATE PELD. RECTO WORK B TAUPE	MATT	K36/P		7,60mm / 0,30"	U RU5 Snowflake
	A034309	PELDAÑO RECTO ANT. C3 WORK B BIANCO	MATT	K91/P	4	32,00mm / 1,26"	U C3 R11 RU5 Snowflake Person
	A034310	PELDAÑO RECTO ANT. C3 WORK B CENERE	MATT	K91/P	4	32,00mm / 1,26"	U C3 R11 RU5 Snowflake Person
	A034312	PELDAÑO RECTO ANT. C3 WORK B TAUPE	MATT	K91/P	4	32,00mm / 1,26"	U C3 R11 RU5 Snowflake Person
	A039482	PAR ZANQUIN RECTO WORK B BIANCO	MATT	K09/P		8,40mm / 0,33"	P Grill Snowflake
	A039483	PAR ZANQUIN RECTO WORK B CENERE	MATT	K09/P		8,40mm / 0,33"	P Grill Snowflake
	A039484	PAR ZANQUIN RECTO WORK B COAL	MATT	K09/P		8,40mm / 0,33"	P Grill Snowflake
	A039485	PAR ZANQUIN RECTO WORK B TAUPE	MATT	K09/P		8,40mm / 0,33"	P Grill Snowflake

- 2026

- CEMENT COLLECTIONS

ape grupo

- SPECS

M

V3

127

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
	A034421	ARISTA WORK B BIANCO	MATT	K29/P		15,30mm / 0,60"	U RU5 Snowflake
	A034422	ARISTA WORK B CENERE	MATT	K29/P		15,30mm / 0,60"	U RU5 Snowflake
	A034424	ARISTA WORK B TAUPE	MATT	K29/P		15,30mm / 0,60"	U RU5 Snowflake
	A034425	UÑA ARISTA WORK B BIANCO	MATT	K06/P		12,80mm / 0,50"	U RU5 Snowflake
	A034426	UÑA ARISTA WORK B CENERE	MATT	K06/P		12,80mm / 0,50"	U RU5 Snowflake
	A034428	UÑA ARISTA WORK B TAUPE	MATT	K06/P		12,80mm / 0,50"	U RU5 Snowflake
	A034413	MEDIA CAÑA WORK B BIANCO	MATT	K29/P		15,30mm / 0,60"	U RU5 Snowflake
	A034414	MEDIA CAÑA WORK B CENERE	MATT	K29/P		15,30mm / 0,60"	U RU5 Snowflake
	A034416	MEDIA CAÑA WORK B TAUPE	MATT	K29/P		15,30mm / 0,60"	U RU5 Snowflake
	A034417	UÑA CAÑA WORK B BIANCO 4x4	MATT	K06/P		15,50mm / 0,61"	U RU5 Snowflake
	A034418	UÑA CAÑA WORK B CENERE 4x4	MATT	K06/P		15,50mm / 0,61"	U RU5 Snowflake
	A034420	UÑA CAÑA WORK B TAUPE 4x4	MATT	K06/P		15,50mm / 0,61"	U RU5 Snowflake
	A038872	ROD. WORK B BIANCO	MATT	K24/P		8,40mm / 0,33"	P Grill Snowflake
	A038873	ROD. WORK B CENERE	MATT	K24/P		8,40mm / 0,33"	P Grill Snowflake
	A038874	ROD. WORK B COAL	MATT	K24/P		8,40mm / 0,33"	P Grill Snowflake
	A038875	ROD. WORK B TAUPE	MATT	K24/P		8,40mm / 0,33"	P Grill Snowflake
	A037769	MOSAICO WORK B BIANCO	MATT	K01/P		8,90mm / 0,35"	P Grill RU5
	A037770	MOSAICO WORK B CENERE	MATT	K01/P		8,90mm / 0,35"	P Grill RU5
	A037771	MOSAICO WORK B COAL	MATT	K01/P		8,90mm / 0,35"	P Grill RU5
	A037772	MOSAICO WORK B TAUPE	MATT	K01/P		8,90mm / 0,35"	P Grill RU5

ARDOME



~ MORE INFO

AVAILABLE COLORS



RED

~ PORCELAIN TILES



ARDOME RED 15X15.
TRAVERTINO BRESCIA STRU RECT 60X120.
BORDE DESBORDANTE TRAVERTINO BRESCIA 28X66,5.
REJILLA TRAVERTINO BRESCIA 24,5X24,5.

~ 2026

~ MARBLE COLLECTIONS

~ NEW



~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
15X15 / 6"X6"	A045344	ARDOME RED	MATT	L29/M	28	7,30mm / 0,29"	RU4

6X25 / 2,5"X10"	A045767	ARDOME RED	MATT	R18/M	50	-	
-----------------	---------	------------	------	-------	----	---	--

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
30X30 (5X5) / 12"X12"	A044999	MOSAICO ARDOME RED	MATT	K01/P		-	



36,3X30 / 14"X12"	A045005	MALLA ARDOMERED (HEXA)	MATT	K59/P		8,90mm / 0,35"	
-------------------	---------	------------------------	------	-------	--	----------------	--



ARDOME RED 15X15.
ARDOME RED LAP RECT 60X120.
BORDE SKIMMER TRAVERTINO BRESCIA 45X75.
PELDAÑO RECTO ANT. C3 TRAVERTINO BRESCIA 33X120.
REJILLA TRAVERTINO BRESCIA 24,5X24,5.



CAPRI



- MORE INFO

- PORCELAIN TILES

AVAILABLE COLORS



NEUTRAL



GREEN



BLUE



ANTI-SLIP CASALE ECRU RECT 120X120.
PELDAÑO RECTO ANT. C3 CASALE ECRU 33X120.
CAPRI NEUTRAL 15X15.

- 2026

- CHROMATIC COLLECTIONS

- NEW

apegrupo

- SPECS



131

SIZE	REF		NAME	FINISH	COD	FACES	THICKNESS	SPECS
15X15 / 6"X6"	A043457	▶	CAPRI BLUE	MATT	V22/M	44	7,40mm / 0,29"	
□	A043458	▶	CAPRI GREEN	MATT	V22/M	44	7,40mm / 0,29"	
	A043459	▶	CAPRI NEUTRAL	MATT	V22/M	44	7,40mm / 0,29"	
5X15 / 2"X6"	A043454	▶	CAPRI BLUE	MATT	V21/M	88	7,70mm / 0,30"	
▢	A043455	▶	CAPRI GREEN	MATT	V21/M	88	7,70mm / 0,30"	
	A043456	▶	CAPRI NEUTRAL	MATT	V21/M	88	7,70mm / 0,30"	

- IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

CAPRI GREEN 15X15.
PELDAÑO RECTO ANT. C3 CASALE ECRU 33X120.
ANTI-SLIP CASALE ECRU RECT 60X120.



HIMALAYAS



- MORE INFO

- PORCELAIN TILES

AVAILABLE COLORS



EVEREST



KATMANDU



TIBET



NEPAL



ASCENT



HIMALAYAS KATMANDU 15X15.
CLOS BIANCO RECT 60,4X120,8.
CLOS BIANCO RECT 60,4X90,6.
CLOS BIANCO RECT 60,4X60,4.
CLOS BIANCO RECT 30,2X60,4.

- 2026

- STONE COLLECTIONS

ape grupo

- SPECS



SIZE	REF		NAME	FINISH	COD	FACES	THICKNESS	SPECS
15X15 / 6"X6"	A038918	▶	HIMALAYAS TIBET	SHINE	L37/M	36	7,20mm / 0,28"	
□	A038919	▶	HIMALAYAS KATMANDU	SHINE	L37/M	36	7,20mm / 0,28"	
	A038920	▶	HIMALAYAS EVEREST	SHINE	L37/M	36	7,20mm / 0,28"	
	A038921	▶	HIMALAYAS NEPAL	SHINE	L37/M	36	7,20mm / 0,28"	
	A042192	▶	HIMALAYAS ASCENT	SHINE	L37/M	31	7,20mm / 0,28"	

- IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

HIMALAYAS EVEREST 15X15.
CASALE CENERE RECT 120X120.
PELDAÑO RECTO ANT. C3 CASALE CENERE 33X120.



ICE



~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



SAPHIRE



BERILO



GREEN



ICE BERILO 15X15.
ANTI-SLIP WORK B CENERE RECT 60X120.
PELDAÑO RECTO ANT. C3 WORK B CENERE 33X120.

~ 2026

~ MARBLE COLLECTIONS

~ NEW

apegrupo

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
15X15 / 6"X6"	A042917	ICE SAPHIRE	SHINE	L37/M	45	7,30mm / 0,29"	
□	A042918	ICE BERILO	SHINE	L37/M	45	7,30mm / 0,29"	
	A042919	ICE GREEN	SHINE	L37/M	45	7,30mm / 0,29"	

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

ANTI-SLIP WORK B CENERE RECT 60X120.
PELDAÑO RECTO ANT. C3 WORK B CENERE 33X120.
ICE SAPHIRE 15X15.



IMPERIAL BROWN



- MORE INFO

- PORCELAIN TILES

AVAILABLE COLORS



BROWN



IMPERIAL BROWN 15X15.
PELDAÑO RECTO ANT. C3 CLOS BEIGE 33X120,8.

- 2026

- MARBLE COLLECTIONS

- NEW



- SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
15X15 / 6"X6"	A045345	IMPERIAL BROWN	MATT	L29/M	28	7,70mm / 0,30"	RU4



6X25 / 2,5"X10"	A045775	IMPERIAL BROWN	MATT	R18/M	50	-	
-----------------	---------	----------------	------	-------	----	---	--



- IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

- SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
29X27 / 11"X10,5"	A044994	MALLA IMPERIAL BROWN 3D HONED (HEXA)	MATT LAPPED	K59/P		8,90mm / 0,35"	



IMPERIAL BROWN 15X15.
IMPERIAL BROWN 3D HONED RECT 120X280.
ANTI-SLIP CLOS BEIGE RECT 30,2X60,4.
ANTI-SLIP CLOS BEIGE RECT 60,4X120,8.

ANTI-SLIP CLOS BEIGE RECT 60,4X60,4.
ANTI-SLIP CLOS BEIGE RECT 60,4X90,6.
PELDAÑO RECTO ANT. C3 CLOS BEIGE 33X120,8.



KUTA



- MORE INFO

AVAILABLE COLORS



GREEN

- PORCELAIN TILES



KUTA GREEN 15X15.
ANTI-SLIP CLOS BIANCO RECT 30,2X60,4.
ANTI-SLIP CLOS BIANCO RECT 60,4X120,8.
ANTI-SLIP CLOS BIANCO RECT 60,4X60,4.
ANTI-SLIP CLOS BIANCO RECT 60,4X90,6.
PELDAÑO RECTO ANT. C3 CLOS BIANCO 33X120,8.

- 2026

- STONE COLLECTIONS



- SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
15X15 / 6"x6"	A043128	KUTA GREEN	MATT	L29/M	45	7,00mm / 0.28"	



- IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

KUTA GREEN 15X15.
ANTI-SLIP CLOS BIANCO RECT 30,2X60,4.
ANTI-SLIP CLOS BIANCO RECT 60,4X120,8.
ANTI-SLIP CLOS BIANCO RECT 60,4X60,4.
ANTI-SLIP CLOS BIANCO RECT 60,4X90,6.
PELDAÑO RECTO ANT. C3 CLOS BIANCO 33X120,8.



HIJAU



~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



GREEN



HIJAU GREEN 15X15.
ANTI-SLIP WORK B BIANCO RECT 60X120.
PELDAÑO RECTO ANT. C3 WORK B BIANCO 33X120.

~ 2026
~ STONE COLLECTIONS



~ SPECS




SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
30X60 / 12''X24'''	A039040	HIJAU GREEN	MATT	J27/M	20	8,40mm / 0,33"	
	A039041	ANTI-SLIP HIJAU GREEN	MATT	N79/M	20	8,40mm / 0,33"	C3
15X15 / 6''X6'''	A039037	HIJAU GREEN	MATT	L29/M	45	7,30mm / 0,29"	C2 
							

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
33X33 / 13''X13'''	A039042	PELDAÑO RECTO HIJAU GREEN C3	MATT	K86/P	4	32,40mm / 1,28"	 C3 R11 RU5 
							
31,5X39,6 (2.5X2.5) / 12''X15,6'''	A042554	GLASS MOSAIC HIJAU GREEN	MATT	V05/M		4,20mm / 0,17"	 



GLASS MOSAIC HIJAU GREEN 31,5X39,6 (2.5X2.5).



NIAGARA



~ MORE INFO

AVAILABLE COLORS



BLUE



GREEN



NATURAL



SKY

~ PORCELAIN TILES



NIAGARA BLUE 15X15.
ANTI-SLIP BURLINGTON PEARL RECT 60X120.
PELDAÑO RECTO ANT. C3 BURLINGTON PEARL 33X120.

~ 2026

~ METAL COLLECTIONS

apegrupo

~ SPECS



SIZE	REF		NAME	FINISH	COD	FACES	THICKNESS	SPECS
15X15 / 6"X6"	A040450	▶	NIAGARA BLUE	SHINE	V22/M	36	8,10mm / 0,32"	
□	A040451	▶	NIAGARA GREEN	SHINE	V22/M	36	8,10mm / 0,32"	
	A040452	▶	NIAGARA NATURAL	SHINE	V22/M	36	8,10mm / 0,32"	
	A040449	▶	NIAGARA SKY	SHINE	V22/M	36	8,10mm / 0,32"	

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

NIAGARA GREEN 15X15.



NIGHT LUX



- MORE INFO

- PORCELAIN TILES

AVAILABLE COLORS



NIGHT LUX



ANTI-SLIP BURLINGTON IVORY RECT 120X120.
PELDAÑO RECTO ANT. C3 BURLINGTON IVORY 33X120.
NIGHT LUX 15X15.

- 2026

- MARBLE COLLECTIONS

apegrupo

- SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
15X15 / 6"X6"	A045346	NIGHT LUX	MATT	L29/M	28	7,40mm / 0,29"	RU4
6X25 / 2,5"X10"	A045776	NIGHT LUX	MATT	R18/M	50	-	

- IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

BURLINGTON IVORY RECT 120X120.
BURLINGTON IVORY RECT 60X120.
PELDAÑO RECTO ANT. C3 BURLINGTON IVORY 33X120.
NIGHT LUX 15X15.



OCEAN



~ MORE INFO

AVAILABLE COLORS



BLUE OXID



BLUE PINK



GREEN

~ PORCELAIN TILES



OCEAN GREEN 30X60.
OCEAN GREEN 15X15.
ANTI-SLIP CASALE ECRU RECT 120X120.
ANTI-SLIP CASALE ECRU RECT 60X120.
PELDAÑO RECTO ANT. C3 CASALE ECRU 33X120.

~ 2026

~ STONE COLLECTIONS

ape grupo

~ SPECS



SIZE	REF		NAME	FINISH	COD	FACES	THICKNESS	SPECS
30X60 / 12"X24"	A037999	▶	OCEAN BLUE OXID	MATT	J98/M	42	8,20mm / 0,32"	RU5
	A044332		OCEAN GREEN	MATT	J98/M	38	8,20mm / 0,32"	
15X15 / 6"X6"	A038182	▶	OCEAN BLUE OXID	MATT	L29/M	50	7,30mm / 0,29"	C2 RU5
	A037747	▶	OCEAN BLUE PINK	MATT	L29/M	50	7,30mm / 0,29"	C2 RU5
	A043936	▶	OCEAN GREEN	MATT	L29/M	50	7,30mm / 0,29"	C2 RU5

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS



31,5X39,6 (2,5X2,5) / 12"X15,6"	A042555	▶	GLASS MOSAIC OCEAN BLUE OXID	MATT	V05/M		4,20mm / 0,17"
---------------------------------	---------	---	------------------------------	------	-------	--	----------------



GLASS MOSAIC OCEAN BLUE OXID

GLASS MOSAIC OCEAN BLUE OXID 31,5X39,6 (2,5X2,5).
BORDE SKIMMER WABI SABBIA 45X75.
PELDAÑO RECTO ANT. C3 WABI SABBIA 33X120.



PIERRE DE BALI



- MORE INFO

- PORCELAIN TILES

- 2026

- STONE COLLECTIONS

apegrupo

- SPECS

P M V4 RU5

ANTI-SLIP PIERRE DE BALI MIX 30X60.
GLASS MOSAIC PIERRE DE BALI 31,5X39,6 (2,5X2,5).
PELDAÑO RECTO PIERRE DE BALI C3 MIX 33X33.



PIERRE DE BALI



~ MORE INFO

AVAILABLE COLORS



PIERRE DE BALI

~ PORCELAIN TILES



ANTI-SLIP PIERRE DE BALI MIX 30X60.
PELDAÑO RECTO PIERRE DE BALI C3 MIX 33X33.

~ 2026
~ STONE COLLECTIONS



~ SPECS
P M V4 RU5

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
30X60 / 12"X24"	A036871	ANTI-SLIP PIERRE DE BALI MIX	MATT	N79/M	42	8,90mm / 0,35"	C3
	A036063	PIERRE DE BALI MIX	MATT	J27/M	42	8,90mm / 0,35"	
15X15 / 6"X6"	A036920	PIERRE DE BALI	MATT	L29/M	50	7,70mm / 0,30"	C2



~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS
M V4

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
33X33 / 13"X13"	A036925	PELDAÑO RECTO PIERRE DE BALI C3 MIX	MATT	K86/P	4	31,80mm / 1,25"	C3 R11 RU5
31,5X39,6 (2.5X2.5) / 12"X15,6"	A042556	GLASS MOSAIC PIERRE DE BALI	MATT	V05/M		4,20mm / 0,17"	



GLASS MOSAIC PIERRE DE BALI

SELVA



~ MORE INFO

~ PORCELAIN TILES

AVAILABLE COLORS



SELVA



SELVA 15X15.
ANTI-SLIP CASALE ECRU RECT 120X120.
PELDAÑO RECTO ANT. C3 CASALE ECRU 33X120.

~ 2026

~ MARBLE COLLECTIONS

~ NEW



~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
15X15 / 6"X6"	A045343	SELVA	MATT	L29/M	52	7,30mm / 0.29"	RU4
6X25 / 2.5"X10"	A045774	SELVA	MATT	R18/M	50	-	

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.

SPECIAL PIECES

~ SPECS



SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
30X30 (5X5) / 12"X12"	A044968	MOSAICO SELVA HONED	MATT LAPPED	K01/P		-	
	A044969	MOSAICO SELVA MATT	MATT	K01/P		-	M
29X27 / 11"X10,5"	A044970	MALLA SELVA HONED (HEXA)	MATT LAPPED	K58/P		-	
	A044971	MALLA SELVA MATT (HEXA)	MATT	K58/P		-	M

SELVA 15X15.
ANTI-SLIP CASALE ECRU RECT 120X120.
PELDAÑO RECTO ANT. C3 CASALE ECRU 33X120.



SINTRA




~ MORE INFO

AVAILABLE COLORS



EMERALD GREEN



ICE WHITE



MISTY BLUE



OLIVE GREEN



SAND

~ PORCELAIN TILES



SINTRA MISTY BLUE 12,4X12,4.
CLOS TERRA RECT 30,2X60,4.
PELDAÑO RECTO ANT. C3 CLOS TERRA 33X120,8.

~ 2026

~ COTTO COLLECTIONS




~ SPECS

V4

SIZE	REF	NAME	FINISH	COD	FACES	THICKNESS	SPECS
11,5X11,5 / 4,5"X4,5"	A041680	▶ MADEIRA EMERALD GREEN	MATT	M61/M	53	9,30mm / 0,37"	P M RU4 ❄️
	A041685	▶ MADEIRA ICE WHITE	MATT	M61/M	53	9,30mm / 0,37"	P M RU4 ❄️
	A041687	▶ MADEIRA MISTY BLUE	MATT	M61/M	53	9,30mm / 0,37"	P M RU4 ❄️
	A041683	▶ MADEIRA OLIVE GREEN	MATT	M61/M	53	9,30mm / 0,37"	P M RU4 ❄️
	A041684	▶ MADEIRA SAND	MATT	M61/M	53	9,30mm / 0,37"	P M RU4 ❄️
13,9X16 / 5,5"X6,3"	A041026	▶ HEXA SINTRA EMERALD GREEN	MATT	M38/M	53	8,90mm / 0,35"	P M ❄️
	A041030	▶ HEXA SINTRA ICE WHITE	MATT	M38/M	53	8,90mm / 0,35"	P M ❄️
	A041031	▶ HEXA SINTRA MISTY BLUE	MATT	M38/M	53	8,90mm / 0,35"	P M ❄️
	A041029	▶ HEXA SINTRA OLIVE GREEN	MATT	M38/M	53	8,90mm / 0,35"	P M ❄️
	A041032	▶ HEXA SINTRA SAND	MATT	M38/M	53	8,90mm / 0,35"	P M ❄️
12,4X12,4 / 5"X5"	A040964	▶ SINTRA EMERALD GREEN	SHINE	M36/M	53	10,30mm / 0,41"	PB 🖐️ *B
	A041012	▶ SINTRA ICE WHITE	SHINE	M36/M	53	10,30mm / 0,41"	PB 🖐️ *B
	A041013	▶ SINTRA MISTY BLUE	SHINE	M36/M	53	10,30mm / 0,41"	PB 🖐️ *B
	A040965	▶ SINTRA OLIVE GREEN	SHINE	M36/M	53	10,30mm / 0,41"	PB 🖐️ *B
	A040966	▶ SINTRA SAND	SHINE	M36/M	53	10,30mm / 0,41"	PB 🖐️ *B

~ IN THIS COLLECTION, WE OFFER SKIRTING, STAIRS SKIRTING, AND STEPS, MANUFACTURED USING MECHANIZED PROCESSES THAT GUARANTEE A UNIFORM FINISH.



FLORIS ICE WHITE MIX



PRADO ICE WHITE MIX



DECOR STAR I MISTY BLUE



DECOR STAR II MISTY BLUE

12,4X12,4 / 5"X5"	A041207	▶ FLORIS ICE WHITE MIX	SHINE	M37/M	25	10,30mm / 0,41"	PB 🖐️ *B
	A041068	▶ PRADO ICE WHITE MIX	SHINE	M37/M	26	10,30mm / 0,41"	PB 🖐️ *B
	A041291	▶ DECOR STAR I MISTY BLUE	SHINE	K14/P	1	10,00mm / 0,39"	PB 🖐️ *B
	A041292	▶ DECOR STAR II MISTY BLUE	SHINE	K14/P	1	10,00mm / 0,39"	PB 🖐️ *B

Each collection has been designed to deliver optimal technical and aesthetic performance across all types of projects. On the following pages, you will find the features, specifications, and usage recommendations needed to ensure the proper selection and installation of our products.

Cada colección ha sido desarrollada para ofrecer el máximo rendimiento técnico y estético en todo tipo de proyectos. En las siguientes páginas encontrarás las características, especificaciones y recomendaciones de uso necesarias para garantizar una correcta elección e instalación de nuestros productos.




CERAMIC
GRATING

REJILLA CERAMICA
24,5X24,5 / 9,4"X9,4"

exclusive ceramic
grating
for overflow pools.

rejillas exclusivas
para piscinas
desbordantes.



The mesh strainer system for infinity pools allows the user to create overflow pools, giving a perfect solution to the most complex areas of multi-use swimming pools and public sport facilities and guaranteeing optimum safety in a homogeneous manner.

Some of the benefits of the system:

Omnidirectional anti-slipping. Homogeneous and safer compared with other grooved reliefs.

Easy laying and faster cleaning of the grout.

Easy and safe maintenance, thanks to the relief design.

Regarding the installation of the grids for the pool overflows, the most appropriate installation is to invert each piece 180o relative to the previous one. This way, the more superficial grooves in one piece pour the water into the deeper ones in the adjacent piece and improve drainage. (Image A)

It is also possible to lay all the pieces in the same direction, achieving a more aesthetic result. In this case it is essential to respect a separation between the pieces to allow the water to fall through the gutter that is generated in the intermediate space. (Image B)

El sistema de rejilla para piscinas desbordantes permite realizar piscinas de coronación desbordante, que da óptimas soluciones a las zonas más complejas de piscinas polivalentes e instalaciones deportivas de uso público, garantizando la máxima seguridad de manera homogénea.

Algunas ventajas de este sistema:

Antideslizamiento omnidireccional, homogéneo y más seguro, frente a otros relieves ranurados.

Fácil colocación y limpieza del rejuntado más rápida.

Mantenimiento rápido y seguro, debido al diseño del relieve.

En lo relativo la instalación de las rejillas para los rebosaderos de las piscinas, la colocación más adecuada es invertir cada pieza 180o respecto a la anterior. De esta forma los surcos más superficiales de una pieza vierten el agua a los más profundos de la pieza adyacente y mejoran el desagüe. (Imagen A)

También es posible colocar todas las piezas en el mismo sentido consiguiendo un resultado más estético. En este caso es imprescindible respetar una separación entre pieza y pieza para facilitar la caída del agua por la canaleta que se genera en el espacio intermedio. (Imagen B)

/EXTRUSIONADO/
/EXTRUDED KLINKER/

swimming pools

159



OXFORD C3 PURE 33X66,5 / 13"X26"
BORDE DESBORDANTE OXFORD PURE 28x66,5 / 11"x26"
REJILLA OXFORD PURE 24,5x24,5 / 9,4"x9,4"




MODULAR CERAMIC GRATING

REJILLA MODULAR
24,5X30 / 9,4"x12"

exclusive modular
ceramic grating for
special pools.

rejillas modular para
piscinas especiales.



The modular ceramic pool grating combines functionality, safety, and aesthetic continuity in a single system. Designed to blend seamlessly into the pool environment, it allows for efficient water drainage thanks to its modular structure, preventing water buildup and improving comfort in high-traffic areas.

Its ceramic finish provides high resistance to wear, moisture, and the chemicals commonly found in outdoor spaces and wet areas, ensuring durability and easy maintenance. Additionally, it offers a visually uniform and elegant solution, blending seamlessly with the flooring and reinforcing the project's aesthetic coherence.

Thanks to its modular format, it facilitates installation and adaptation to different pool designs and perimeters, making it a practical, safe, and architecturally valuable option.

La rejilla modular cerámica para piscina combina funcionalidad, seguridad y continuidad estética en un único sistema. Diseñada para integrarse perfectamente en el entorno de la piscina, permite una evacuación eficiente del agua gracias a su estructura modular, evitando acumulaciones y mejorando el confort en las zonas de tránsito.

Su acabado cerámico aporta una elevada resistencia al desgaste, la humedad y los agentes químicos habituales en espacios exteriores y zonas húmedas, garantizando durabilidad y un mantenimiento sencillo. Además, ofrece una solución visualmente uniforme y elegante, integrándose con el pavimento y reforzando la coherencia estética del proyecto.

Gracias a su formato modular, facilita la instalación y adaptación a diferentes diseños y perímetros de piscina, convirtiéndose en una opción práctica, segura y de alto valor arquitectónico.

/EXTRUSIONADO/
/EXTRUDED KLINKER/

swimming pools

161




POOL
SKIMMER EDGE

BORDE SKIMMER
28X66,5 / 11"X26"

special piece
for overflow
pools.

pieza especial
para piscinas
desbordantes.



The overflow edge is a special extruded stoneware piece with a light tilt. It is designed so that the tiling arrives to the end of the swimming pool.

The overflow edgy with a mesh strainer guarantees excellent results, not only from a practical perspective, draining the water, but also from an aesthetic perspective, creating an increase of the perception of the swimming pool size.

With a minimum effort APE's swimming pools are perfectly maintained. In addition, porcelain stoneware is not susceptible to microbial formations, so you can swim peacefully.


El borde desbordante es una pieza especial de gres extrusionado que tiene una ligera inclinación y que está diseñada para que el solado llegue hasta el final de la piscina.

El borde desbordante con rejilla garantiza excelentes resultados, tanto desde un punto de vista práctico, permitiendo la recogida y drenaje del agua, como desde un punto de vista estético creando un aumento en la percepción del tamaño de la piscina.

Con un mínimo esfuerzo las piscinas de APE se mantienen perfectas. Además el gres porcelánico no es susceptible de formaciones microbianas, así que su tranquilidad será total.

/EXTRUSIONADO/
/EXTRUDED KLINKER/

swimming pools



- | | | |
|----|-------------------|---------------|
| 01 | BASE | BASE |
| 02 | REJILLA | GRATING |
| 03 | BORDE DESBORDANTE | OVERFLOW EDGE |
| 04 | BASE LISA | FLAT BASE |
| 05 | MEDIA CAÑA | COVE |




STAIR TREAD
STRAIGHT

PELDAÑO RECTO
33X120X3 / 13"x48"x1"

security
no slips.

seguridad
sin resbalones.



Our collections include straight steps for a more linear, minimalist aesthetic finish. Moreover, the steps are also used for the swimming pool stairs, so that the result becomes homogeneous.

One of the advantages of this system is that it is more efficient regarding cleaning and energy consumption. In addition, it needs less space in relation to an infinity pool, as the latter needs a compensation tank or a channeling able to store between 5% and 10% of the total of the volume of the swimming pool for the replenishment of water.

APE's anti-slip technology provides maximum safety in the tank, on the edge and on the perimeter of the swimming pool. It is visually pleasing and easy-to-clean.

Nuestras colecciones incluyen peldaños rectos que permiten un acabado estético más lineal y minimalista. Además los peldaños se usan también en las escaleras interiores de la piscina, por lo que se homogeneiza el resultado.


Entre las ventajas de este sistema es que es más eficiente en lo relativo a limpieza y consumo energético. Además precisa menor espacio respecto a una piscina desbordante, ya que esta precisa un depósito de compensación o espacios de canalización suficientes para almacenar entre un 5 y un 10% del total del volumen de la piscina para la reposición de agua.

Los antideslizantes de APE aportan la máxima seguridad, tanto en la zona de playa como en el borde y el vaso de la piscina. Son agradables y fáciles de limpiar.

/EXTRUSIONADO/
/EXTRUDED KLINKER/

swimming pools

165



01	PELDAÑO RECTO	STAIR TREAD STRAIGHT
02	BASE	BASE
03	MEDIA CAÑA	COVE
04	UÑA	COVE CORNER TRIM
05	ARISTA	TRIM




TRADITIONAL
POOL

PISCINA TRADICIONAL
28X66,5X4,5 / 11”X26”X2”

it lasts forever.

es para siempre.



The perfect swimming pool.

Every summer your swimming pool will be working as well as the first day. Since a swimming pool is a dream, at APE we want to help you make it come true.

Traditional pools can be topped with rounded swimming pool edges.

A classic piece with the attributes of extrusion.

La piscina perfecta.

Cada verano tu piscina estará funcionando tan bien como el primer día. Porque una piscina es un sueño y en APE queremos ayudarte a hacerlo realidad.


Las piscinas tradicionales pueden ser coronadas con bordes de piscina redondeadas.

Una pieza clásica con las propiedades del extrusionado.

/EXTRUSIONADO/
/EXTRUDED KLINKER/

swimming pools

167



- | | | |
|----|-----------------------------|----------------------|
| 01 | BORDE PISCINA | POOL BORDER EDGE |
| 02 | PAR ÁNGULO INTERIOR PISCINA | POOL INTERIOR CORNER |
| 03 | PAR ÁNGULO EXTERIOR PISCINA | POOL EXTERIOR ANGLE |
| 04 | MEDIA CAÑA | COVE |




POOL
SKIMMER EDGE

BORDE SKIMMER
45X75X3 / 18"x30"x1"

resistance in
the material
that never
deteriorates.

resistencia en
el material que
nunca se estropea.



The skimmer system can be installed with a rounded edge or a straight step.

The skimmer system is the classic system in which the water surface is 20cm below the edge of the swimming pool. It is equipped with a less complex filtration system, so the economic investment is lower.


It does not alter its properties nor change its color after exposure to sunlight. It is resistant to contact with water and chemical products for filtration. It does not break or crack.

El sistema skimmer puede instalarse con un borde redondeado o con un peldaño recto.

El sistema de skimmer es el sistema clásico en el que la superficie del agua está a unos 20 cm por debajo del borde de la piscina, equipado con un sistema de filtrado menos complejo, por lo que reduce la inversión económica en esta instalación.

No se altera ni cambia de color con la radiación del sol. No le afecta el contacto con el agua ni los productos químicos para la depuración. No se rompe ni se agrieta.

/EXTRUSIONADO/
/EXTRUDED KLINKER/



- | | | |
|----|-------------------------|----------------------|
| 01 | BORDE PISCINA | POOL BORDER EDGE |
| 02 | ÁNGULO INTERIOR PISCINA | POOL INTERIOR CORNER |
| 03 | ÁNGULO EXTERIOR PISCINA | POOL EXTERIOR ANGLE |
| 04 | ARISTA | TRIM |
| 05 | MEDIA CAÑA | COVE |



SWIMMING POOLS CONSTRUCTION /
CONSTRUCCIÓN DE PISCINAS Y ESPACIOS HÍDRICOS

Pool coverings, sport facilities and all other ludic and wellness wet areas are exposed to several different demands due to their function, the use conditions and also the setting place.

Basic requirements for a swimming pool coating are: ergonomics, resistance, waterproofing and security.

Extruded klinker ceramic is extremely resistant and offers an overall solution to all requirements needed in such installations. Shape, color and texture variety and special pieces wide range that gives functional solutions to technical design demand in order to obtain long-lasting coating with high quality finished.

Ergonomic shapes, non-pore surfaces, non slip finishes where it is necessary, bright glazings with chemical resistance to deal with water conditioning products, the disinfection and cleaning process.

Easy maintenance is equal to hygienic and healthy spaces.

Using extruded klinker ceramics is a secure and profitable investment.

BAREFOOT WALKING AREAS FLOORING /
PAVIMENTACIÓN DE PLAYAS Y ESPACIOS ANEXOS

Barefoot walking areas like those surrounding swimming pools, solariums, changing rooms and others undergo several situations: wet conditions, water from pools, dirt and dust in outdoor areas. These actions and others (impacts, abrasion, frost action) are decisive to tiles choosing criteria.

The selected tile must be no slip, with mechanical, chemical and frost resistance, very low surface porosity, and easy to clean.

APE recommends anti-slip C Class (DIN 51097) for usually wet floors in swimming pools, sport facilities and similar spaces.

Zonas interiores húmedas, vestuarios, baños, aseos y duchas.	
Superficies con pendiente menor que el 6%	Clase 2
Superficies con pendiente igual o mayor que el 6% y escaleras	Clase 3
Zonas exteriores. Piscinas (1).	
(1) Zonas previstas para usuarios descalzos y fondos de vasos de profundidad que no exceda a 1,5 m	Clase 3

Los recubrimientos de las piscinas, instalaciones deportivas y la totalidad de los espacios hídricos de uso lúdico y terapéutico, están expuestas a altas y variadas solicitudes debido a su función y también del entorno donde se ubican.

Las demandas básicas exigibles a estos recubrimientos son: ergonomía, resistencia, impermeabilidad y seguridad.

El gres extrusionado es extremadamente resistente y ofrece soluciones a todos los requisitos que se plantean en instalaciones de este tipo. Variedad de formas, colores, texturas y una amplia gama de piezas especiales que dan respuesta funcional a las demandas de diseño de los técnicos proyectistas, para obtener recubrimientos duraderos, estéticos y con alta calidad de acabados.

Formas ergonómicas, superficies sin poros, antideslizantes donde sea necesario, esmaltados luminosos y químicamente resistentes para soportar los productos de acondicionamiento del agua y los procesos de limpieza y desinfección.

Mantenimiento fácil equivale a instalación higiénica y saludable.

Utilizar gres extrusionado es una inversión segura y rentable.

Las playas y espacios anexos a una piscina, como vestuarios, servicios, solarios y otros son transitados con pie descalzo y frecuentemente con agua, humedad, ensuciamiento por uso, polvo y contaminación en caso de playas exteriores. Estas solicitudes junto a otras (golpes, abrasiones, acción de heladas) son determinantes a la hora de seleccionar una baldosa para pavimentar estos espacios.

La baldosa elegida debe ser antideslizante, con resistencia mecánica, química y a la helada, con mínima porosidad superficial y fácilmente limpiable.

La aprobación en España del Código Técnico de la Edificación (C.T.E.) supone un endurecimiento de los requisitos de antideslizamiento en las piscinas en general e instalaciones deportivas de uso público a fin de garantizar la seguridad del usuario frente al riesgo de caídas. El Documento Básico SU1 (Seguridad de Utilización) establece la obligatoriedad de pavimentos con Resistencia al Deslizamiento (Rd) en función de su localización y su Clase exigible, concretamente es: *

APE recomienda en playas, vestuarios, servicios, locales técnicos, coronación de piscinas y otras superficies antideslizantes, utilizar baldosas y piezas especiales con textura superficial calificadas como Clase 3 (C.T.E. ensayo péndulo UNE-ENV 12633) en proyectos ejecutados dentro del territorio español. Para proyectos ejecutados en otros países recomendamos utilizar baldosas y piezas especiales calificadas como Clase C (ensayo pie descalzo, plano inclinado DIN 51097).

INSTALLATION RECOMMENDATIONS /
RECOMENDACIONES DE COLOCACIÓN

Must be considerate substrate type and conditions of use. Surface to be covered shall be cleaned to remove bitumen, soil, dust, curing compounds, form, oil, sealants or grease. In spas, therapy pools, thermal baths, leisure centers and talasotherapy (sea water pools), high resistance grouts (chemical and abrasion) is very recommended.

BEFORE INSTALLATION. PREVIOUS TASKS

- Check tile system, different special pieces, colors and textures, and summit to Management.
- Check the substrate condition, geometry, surface quality , cracks and moisture.
- Leveling and waterproofing the substrate. Pass waterproofing test before tile installation.
- Check sizes pool, and levels (overflow and pool edge levels).
- Movement joints placement, according to Management.
- Stock-pit organization: place the tiles at different workplaces.
- Detailed layout plan: checking sizes, modularity and singular points.
- Make an installation planning, is very recommended.

TILES INSTALLATION

- Mark the reference lines, making a control grid.
- Mark the central axe and its perpendicular lines every 2 m. making a grid pattern.
- Use mark lanes as guidelines, in the short walls and bottom of the pool.
- Place a row of tiles along both lanes. Distribute tiles between lanes, align them following the grid.
- Put the cut pieces in the bottom of the pool.
- The joint between pieces will be 5 mm. to respect modularity and the correspondence of joints between different sizes and/or specials pieces.

THIN BED INSTALLATION

Over leveling substrate, adhesives are applied with a notched trowel. Mortar thickness is between 5 mm-10 mm. The substrate should be clean, sound, dry, plumb and true (3mm/3m). Use leveling coat mortar if need be. Over concrete walls all cracks must be repaired prior the tiling. Pool edge and back high profiled pieces, should be back-buttered to help achieve maximum coverage.

RECOMMENDED PRODUCTS
LEVELING COAT MORTAR:

Latex admix gives the mortar flexibility and bonding strength.
WATERPROOFING:
Direct bond rubber reinforced membranes.
Direct bond reinforced waterproof mortars.
SETTING:
Adhesive C2 type (EN 12004) better C2 TE type.
Use square notch trowel.
GROUTING:
CG2 type (EN 13888).
RG for stain, abrasion and high chemical resistance.
Use hard rubber trowel.
Fill the expansion joints with a flexible sealants: silicone or poliurethane.

Hay que considerar el tipo de soporte y las condiciones de uso de la instalación. La superficie a revestir debe estar limpia de asfaltos, aceites, grasas, polvo, aditivos del hormigón. En balnearios, piscinas terapéuticas, termas, hidromasajes - spas, y talasoterapia (piscinas con agua de mar) se recomienda utilizar juntas de alta resistencia química y a la abrasión.

TAREAS PREVIAS A LA COLOCACIÓN

- Comprobar y clasificar el material suministrado a obra, diferentes baldosas y piezas especiales, colores y texturas, sometiendo el sistema de recubrimiento a la Dirección Facultativa.
- Comprobar las condiciones del soporte, geometría, aplomado de aristas y rincones, calidad superficial, retracción y humedad residual.
- Nivelar el soporte si es necesario. Impermeabilizar y verificar con Prueba de Estanqueidad.
- Comprobar dimensiones del vaso y los niveles de desborde y coronación.
- Situar las juntas de movimiento y partición de acuerdo con la D.F.
- Organización de acopios a pie de tajo.
- Replanteo detallado: medidas, modularidad y piezas en puntos singulares.
- Planificación de ejecución.

INSTALACIÓN DE LA CERÁMICA

- Marcar líneas de referencia cada 2 m. formando una retícula de control.
- Marcar el eje de simetría y marcar las líneas de calles en las paredes cortas.
- Utilizar la marcación de calles como referencia, colocando baldosas enteras entre ellas, siguiendo la retícula.
- En caso necesario situar las piezas cortadas en el fondo del vaso.
- La junta entre las piezas será de 5 mm. para respetar la modularidad de las series y la correspondencia de juntas entre los diferentes formatos y/o piezas especiales.

COLOCACIÓN POR EL SISTEMA DE CAPA DELGADA

- Sobre soportes regulares y nivelados, usando adhesivos mediante llana dentada.
- El espesor de mortero adhesivo es 5-10 mm.
- El soporte debe ser sano, limpio, seco, plano (3 mm de desnivel, como máximo, en 3 m.) y aplomado.
- Usar un mortero de nivelación si es necesario.
- Sobre soportes de hormigón hay reparar las grietas antes de la colocación.
- La piezas de coronación y las de cola de milano acentuadas (Groove, apoyo rejilla, ranuradas, etc) se colocarán con doble encolado para asegurar un total macizado.

PRODUCTOS RECOMENDADOS
PARA NIVELAR Y REGULARIZAR LAS SUPERFICIES:

Usar morteros con Aditivo Látex
PARA IMPERMEABILIZAR:
Membranas bituminosas reforzadas con fibras que se aplican directamente al soporte.
Morteros impermeabilizantes reforzados con fibras que se aplican directamente al soporte.
PARA INSTALAR LAS BALDOSAS:
Adhesivo Tipo C2 (según norma EN 12004) preferentemente C2TE.
Usar llana dentada.
PARA REJUNTAR:
Mortero de Juntas Tipo CG2 (según EN 13888).
Tipo RG para resistencia a las Manchas y alta Resistencia Química.
Usar llana de goma.
LAS JUNTAS DE EXPANSIÓN deben rellenarse con Selladores Flexibles de Silicona o Poliuretánicos.

EXTRUSION VALUES / EL VALOR DE LA EXTRUSIÓN

The raw materials selected and the careful production process with the most advanced technologies and our human team work, ensure that final product have a exceptional technical characteristics.

With this process three-dimensional geometries can be obtained in the pieces, impossible to obtain with the traditional pressing process.



Las materias primas seleccionadas y el cuidado proceso de producción con las tecnologías más avanzadas y la labor de nuestro equipo humano, hacen que el producto obtenido posea unas características técnicas excepcionales.

Con este proceso se pueden obtener geometrías tridimensionales en las piezas, imposibles de conseguir con el proceso de prensado tradicional.

EXTRUSION PROCESS / PROCESO DE EXTRUSIÓN

Extrusion process is a forming technique for the manufacture of ceramic products. Basically this process consists in forcing the passage, through the application of a pressure, of the paste with a plastic consistency through a matrix. The manufacture of tiles by the extrusion process entails four main phases: kneaded, shaping, drying and firing.

The kneading consists in the mixing with water of the raw materials previously prepared and ground. This provides an easily extrudable paste.

- In the shaping stage, the plastic mass using vacuum pressure is kneaded and pushed through the nozzle to make tiles. This process is widely used to make special tiles pieces like steps or swimming pool border tiles, ... etc.

- Once the tiles have been shaped, hot air is used to remove the moisture content.

- Afterwards they are fired to high temperatures, to obtain a perfect vitrification.

With this process, the tiles can be recycled completely and up to 45% recycled materials are accepted in their standard process.

La extrusión es una técnica de conformado para la fabricación de productos cerámicos. Básicamente el proceso de extrusión consiste en forzar el paso, mediante la aplicación de presión, de la pasta con consistencia plástica a través de una matriz. La fabricación de baldosas mediante el proceso de extrusión consta de cuatro fases principales: amasado, conformado, secado y cocción.


- El amasado consiste en el mezclado con agua de las materias primas previamente preparadas y molidas. Con esto se consigue una pasta fácilmente moldeable por extrusión.

- En el conformado se realiza introduciendo la masa plástica en la extrusora, y con presión de vacío es amasada y empujada a través de la boquilla para obtener las piezas finales. Con este proceso se pueden obtener piezas especiales como peldaños o bordes piscinas, etc...

- Después las piezas ya moldeadas son sometidas a aire caliente para eliminar el contenido de humedad.

- Posteriormente son cocidas a altas temperaturas, obteniendo una perfecta vitrificación de las mismas.

Con este proceso los materiales pueden ser reciclados en su totalidad y admiten hasta un 45% de materiales reciclados en su proceso estándar.



PROCESO DE EXTRUSIÓN - EXTRUSION PROCESS

White body extruded klinker stoneware with a low water apsorption, according to EN 14411, group Alb, glazed.

Gres extruido de pasta blanca de baja absorción de agua, según UNE-EN 14411, grupo Alb esmaltado.

NORMA / TEST		DESCRIPCIÓN / DESCRIPTION	REQUISITOS / STANDARDS	PISCINAS / SERIES
ISO 10545-2		Dimensiones / Sizes Longitud y anchura / Lenght and width Espesor / Thickness Rectitud de los lados /Straightness of sides Ortogonalidad / Rectangularity Planaridad / Surface Flatness	± 1,5% ± 10% ± 0,6% ± 1,0 % ± 1,5 %	Cumple ampliamente la norma / AmPLY meets the standard
ISO 10545-3		Absorción de agua / Water absorption	≤ 3 %	≤ 1,5 %
ISO 10545-4		Fuerza de rotura / Breaking strength	≥ 1100 N	≥ 1.300 N
ISO 10545-4		Resistencia a la flexión / Modulus of rupture	≥ 23 N/mm2	≥ 40 N/mm2
ISO 10545-9		Resistencia al choque térmico / Resistance to thermal shock	exigida / required	garantizado / guaranteed
ISO 10545-11		Resistencia al cuarteo / Crazing resistance	exigida / required	garantizado / guaranteed
ISO 10545-12		Resistencia a la helada / Frost resistance	exigida / required	garantizado / guaranteed
ISO 10545-13		Resistencia a los agentes químicos / Chemical resistance	exigida / required	A / LA / HA
ISO 10545-14		Resistencia a las manchas / Stain resistance	exigida / required	clase 5 / class 5
UNE-ENV 12633:2003		Resistencia al deslizamiento (péndulo) / Slip Resistance (pendulum)	exigida (CTE) / required (CTE)	CLASE 3 / CLASS 3
DIN 51097		Ángulo Crítico Deslizamiento (pie descalzo) / Anti-slip resistance (barefoot)	-	GRUPO C / C GROUP
DIN 51130		Ángulo Crítico Deslizamiento (rampa) / Anti-slip resistance (ramp)	-	R10-R12

TECHNICAL DATA/
CARACTERÍSTICAS TÉCNICAS

PORCELAIN TILE / PORCELÁNICO

	Testing method / Método de prueba	Measurement unit / Unidad de medida	Values / Valores Típicos Medios	Established limits / Valores límite previstos	Reference standard / Norma de referencia
Water absorption in % Absorción de agua en %	ISO 10545-3	%	≤ 0,5	≤ 0,5 Maximum single value 0,6% Valor único máximo 0,6%	UNI EN 14411-G
Dimensions Dimensiones	ISO 10545-2	mm %	Complies with the standards. Conforme con las normas.	N ≥ 15	UNI EN 14411-G
Length and width Longitud y anchura				± 2 % max ± 5 mm	
Length and width Longitud y anchura				± 0,6 % ± 2 mm	
Length and width Longitud y anchura				± 0,6 % ± 2 mm	
Thickness Espesor				± 5 % ± 0,5 mm	
Edge straightness Rectitud de los cantos				± 0,5 % ± 1,5 mm	
Orthogonality Ortogonalidad				± 0,5 % ± 2 mm	
Flatness Planeidad	ISO 10545-4			x ± 0,5 % ± 2 mm	UNI EN 14411-G
Appearance Aspecto				≥ 95%	
Bending strength Resistencia a la flexión					
Modulus of rupture Módulo de rotura		N/mm2	≥ 28	28 Minimum single value 21 Valor único mínimo 21	UNI EN 14411-G
Breaking strenght Esfuerzo de rotura		N	≥ 1300	≥ 1300	UNI EN 14411-G

2026

swimming pools

175

	Testing method / Método de prueba	Measurement unit / Unidad de medida	Values / Valores Típicos Medios	Established limits / Valores límite previstos	Reference standard /Norma de referencia
Resistance deep abrasion Resistencia a la abrasión profunda	ISO 10545-6	mm3	120-150	≤ 1 75	UNI EN 14411-G
Frost resistance Resistencia a la helada	ISO 10545-12		Complies with the standards Conforme con las normas	Test passed in accordance with the en iso 10545-1 standard Prueba superada de conformidad con la norma EN ISO 10545-1	UNI EN 14411-G
Thermal shock resistance Resistencia al choque térmico	ISO 10545-9		Complies with the standards Conforme con las normas	Test passed in accordance with the en iso 10545-1 standard Prueba superada de conformidad con la norma EN ISO 10545-1	UNI EN 14411-G
Linear thermal expansion coefficient Coeficiente de dilatación térmica lineal	ISO 10545-8	x10-6/°C	≤ 9	Test method available Método de control disponible	UNI EN 14411-G
Stain resistance Resistencia a las manchas	ISO 10545-14		Clase 5 Class 5 Categoría 5	Value declared Valor declarado	UNI EN 14411-G
Resistance to chemicals for household use and swimming pool salts Resistencia a los productos químicos para uso doméstico y sales para piscina	ISO 10545-13		A	B Minimum B Mínimo	UNI EN 14411-G
			LA - LB HA - HB	Value declared Valor declarado	UNI EN 14411-G
Color resistance to light exposure Resistencia de los colores a la exposición de la luz	DIN 51094		Complies with the standards Conforme con las normas	No sample must show noticeable color modifications. Ninguna muestra ha de presentar alteraciones apreciables de color.	
Skid resistance Resistencia al deslizamiento	RAMP METHOD		R9	from R9 to R13 de R9 a R13	DIN 51130 BGR 181 1
			R10		
			R11		
			R12V4		



RECOMMENDED PRODUCT / PRODUCTO RECOMENDADO / PRODUIT RECOMMANDÉ	TYPE OF DIRT / TIPO DE SUCIEDAD / TYPE DE SALETÉ		
CEMENT REMOVER	CEMENT-BASED GROUT	RESIDUOS JUNTA CEMENTOSA	MORTIER CIMENT
	CONCRETE, PLASTER, WALL PAINT	CEMENTO, YESO, PINTURA PARA PARED	CIMENT, PLÂTRE, PEINTURE MURALE
	COAL, RUST, SALT EFFLORESCENCES	CARBÓN, ÓXIDO, EFLORESCENCIAS SALINAS	CHARBON, ROUILLE, SELS EFFLORESCENCES
EPOXY CLEANER	EPOXY GROUT	JUNTA EPOXÍDICA	MORTIER ÉPOXY
	BLACK SUCTION-CUP MARKS	MARCAS NEGRAS DE VENTOSA EN SUPERFICIES MATE	MARQUES NOIRES DE VENTOUSE
FLOOR CLEANER	DAILY ORDINARY CLEANING	LIMPIEZA DIARIA ORDINARIA	NETTOYAGE QUOTIDIEN NORMAL
TILE CLEANER	SUPERFICIAL PATINA, HEAVY DUTY CLEANING	PÁTINA SUPERFICIAL, LIMPIEZA PROFUNDA	PATINE SUPERFICIELLE, NETTOYAGE À FOND
	METAL MARKS, SIGNS AND RESIDUES	MARCAS Y RESIDUOS METÁLICOS	MARQUES DE MÉTAL, AURÉOLES ET RÉSIDUS
	STUBBORN DIRT, LIMESCALE BUILD-UPS, FOOTPRINT	SUCIEDAD OBSTINADA, ACUMULACIÓN DE CAL, HUELLAS	SALETÉ OBSTINÉE, ACCUMULATION DE CALCAIRE, EMPREINTES
COLOURED STAIN REMOVER	COFFE, WINE, DRINKS	CAFÉ, VINO, BEBIDAS	CAFÉ, VIN, BOISSONS, GLACES
	MARKER PEN, PERMANENT INK, HAIR DYE	ROTULADOR, TINTA PERMANENTE, TINTE PARA EL CABELLO	MARQUEURS, ENCRE PERMANENT, TEINTURE DES CHEVEUX
DEEP DEGREASER	OIL, GREASE, BITUMINOUS RESIDUES	ACEITES, GRASAS, RESIDUOS BITUMINOSOS	HUILE, GRAS, RÉSIDUS BITUMINEUX
	WAX, RUBBER MARKS, TYRE MARKS	CERAS, MARCAS DE CAUCHO, MARCAS DE NEUMÁTICO	CIRE, MARQUES DE CAOUTCHOUC, MARQUES DE PNEUS
	SILICONE	SILICONA	SILICONE
	GREASY STAINS AND RESIDUES	RESIDUOS Y MANCHAS DE GRASA	TACHES DE GRAS ALIMENTAIRE ET RÉSIDUS
ALKALINE CLEANER	WATER-REPELLENT SUCTION-CUP MARKS	MARCAS DE VENTOSAS	MARQUES HYDROFUGES DE VENTOUSE
HONING CREAM	BACK-MARKS FROM MATT SURFACES	MARCA DE COSTILLA EN SUPERFICIES NO PULIDAS	MARQUES AU VERSO DUES À SURFACE MATTE
POLISHING CREAM	BACK-MARKS FROM POLISHED SURFACE	MARCA DE COSTILLA EN SUPERFICIES PULIDAS	MARQUES AU VERSO DUES À SURFACE POLIE
SHINE REPAIR LIGHT	SCRATCHES FROM LIGHT COLOURED POLISHED SURFACE	MARCAS Y ARAÑAZOS EN SUPERFICIES PULIDAS – COLORES CLAROS	RAYURES SUR SURFACE POLIE, COULEURS CLAIRES
SHINE REPAIR DARK	SCRATCHES FROM DARK COLOURED POLISHED SURFACE	MARCAS Y ARAÑAZOS EN SUPERFICIES PULIDAS – COLORES OSCUROS	RAYURES SUR SURFACE POLIE, COULEURS FONCÉES

EMPFOHLENES PRODUKT / PRODOTTO SUGGERITO / РЕКОМЕНДУЕМЫЙ ПРОДУКТ /	ART VON SCHMUTZ / TIPO DI SPORCO / ВИД ЗАГРЯЗНЕНИЯ	
CEMENT REMOVER	ZEMENTMÖRTEL	STUCCO CEMENTIZIO / ЦЕМЕНТНАЯ ЗАТИРКА
	BETON, GIPS, WANDFARBE	CEMENTO, INTONACO, PITTURA MURALE / ЦЕМЕНТ, ШТУКАТУРКА, НАСТЕННАЯ КРАСКА
	KOHLE, ROST, SALZAUSBLÜHUNGEN	CARBONE, RUGGINE, EFFLORESCENZE SALINE / УГОЛЬ, РЖАВЧИНА, ВЫСОЛЫ
EPOXY CLEANER	EPOXIDMÖRTEL	STUCCO EPOSSIDICO / ЭПОКСИДНАЯ ЗАТИРКА
	SCHWARZE SAUGNAPFSPUREN	RESIDUI DI VENTOSA NERI / ЧЕРНЫЕ СЛЕДЫ ПРИСОСОК
FLOOR CLEANER	TÄGLICHE REINIGUNG	PULIZIA QUOTIDIANA / ПОВСЕДНЕВНАЯ УБОРКА
TILE CLEANER	OBERFLÄCHLICHE PATINA, TIEFENREINIGUNG	PATINA SUPERFICIALE, PULIZIA DI PROFONDITÀ / ПОВЕРХНОСТНАЯ ПАТИНА, ЧИСТКА УСТОЙЧИВОГО ЗАГРЯЗНЕНИЯ
	METALLSPUREN, ZEICHEN UND RÜCKSTÄNDE	SEGNI E RESIDUI METALLICI / МЕТАЛЛИЧЕСКИЕ СЛЕДЫ И ОСТАТКИ
	HARTNÄCKIGER SCHMUTZ, KALKSTEIN, FUSSABDRUCK	SPORCO INTENSO, CALCARE, IMPRONTE / УСТОЙЧИВОЕ ЗАГРЯЗНЕНИЕ, НАКИПЬ, ОТПЕЧАТКИ
COLOURED STAIN REMOVER	KAFFEE, WEIN, GETRÄNKE	CAFFE, VINO, BEVANDE, INCHIOSTRI / КОФЕ, ВИНО, НАПИТКИ, ЧЕРНИЛА
	MARKER, TINTE, HAARFÄRBEMITTEL	PENNARELLI INDELEBILI, TINTA PER CAPELLI / ПЕРМАНЕНТНЫЙ МАРКЕР, КРАСКА ДЛЯ ВОЛОС
DEEP DEGREASER	ÖL, FETT, BITUMINÖSE RÜCKSTÄNDE	OLIO, GRASSO, RESIDUI BITUMINOSI / МАСЛЯНЫЕ И ЖИРОВЫЕ ЗАГРЯЗНЕНИЯ, БИТУМНЫЕ ОСТАТКИ
	WACHS, GUMMIRÜCKSTÄNDE, REIFENSPUREN	CERA, SEGNI DI GOMMA, SEGNI DI PNEUMATICI / БОКС, СЛЕДЫ ОТ РЕЗИНЫ, СЛЕДЫ ОТ ШИН
	SILIKON	SILICONE / СИЛИКОН
	FETTFLÉCKEN UND RÜCKSTÄNDE	MACCHIE E RESIDUI DI CIBO GRASSI / ЖИРНЫЕ ПИЩЕВЫЕ ПЯТНА И ОСТАТКИ
ALKALINE CLEANER	WASSERABWEISENDE SAUGNAPFSPUREN	RESIDUI DI VENTOSA IDROREPELLENTI / ГИДРОФОБНЫЕ ОСТАТКИ ПРИСОСОК
HONING CREAM	RÜCKSPUREN AUF MATTEN OBERFLÄCHEN	ENGIOBBIO SU SUPERFICI OPACHE / АНГОб НА МАТОВЫХ ПОВЕРХНОСТЯХ
POLISHING CREAM	RÜCKSPUREN AUF POLIERTER OBERFLÄCHE	ENGIOBBIO SU SUPERFICI LUCIDE / АНГОб НА БЛЕСТЯЩИХ ПОВЕРХНОСТЯХ
SHINE REPAIR LIGHT	KRATZER AUF EINER POLIERTEN HELLEN OBERFLÄCHE	GRAFFI SU SUPERFICI LUCIDE CHIARE / ЦАРАПИНЫ НА ПОЛИРОВАННОЙ СВЕТЛОЙ ПОВЕРХНОСТИ
SHINE REPAIR DARK	KRATZER AUF EINER POLIERTEN, DUNKLEN OBERFLÄCHE	GRAFFI SU SUPERFICI LUCIDE SCURE / ЦАРАПИНЫ НА ПОЛИРОВАННОЙ ТЕМНОЙ ПОВЕРХНОСТИ

خاستلا عون	حرت قمل جوتن قمل
يتمملا صجلا	تتمملا ليزم
جل قمل تارولبو أدصلا ، محظلا	
ناردجلا علاطو صجلا ، تأسرخلا	
يتمكويلا صجلا	يتمكويلا فظنم
طفشلا باوكلا ءادومء تاملاء	
ي ءاملا ي موپلا فيظننلا	ضر لا فظنم
قاشلا فيظننلا ، يمحطسلا راجنزلا	طلا بلا فظنم
تجننمء اياقديو تامال ع	
تيسلكلا تابسرئلا مكارء ، تنينمطا خامسولا	
ميرك سريلاو تابورشملا برمخلا ، قوبمظلا	ءغبصرلا ليزم
رعمء تمقصم ، مئادلا ربجلا ، ملقلا قمال ع	قنول قمل
روصء تاملاء ، طاطملا تاملاء ، عمش	قيممطا فظنملا
تجنيمونئيد تافلخم ، موحشء ، تنويز	
نوكيليد	
اهاياقبو تمزخدلا ماعمظلا عبق	
ءاملا تمواقملا طفشلا	نيل اكل فظنم
"تامام" محطس نم فيفلخلا تامال عالا	ريشقتلا ميرك
لوقصملا محطسلا نم فيفلخلا تامال عالا	ميملنلا ميرك
نوللا محقاة شروءء	عمل قمل حالصا
قماغ نول نم شروءء	ءيضم قمل
	ملظملا عمل قمل حالصا

The reproduction of the colours is approximate. Ape grupo reserves the right to alter or amend the products here stated.

La reproducción de los colores es aproximada. Ape grupo se reserva el derecho de alterar o modificar los productos aquí relacionados.

Price codes and product codes should be checked, since there may be typographical errors.

We always recommend consulting the website as the products could undergo price code, format or packing changes.

Los códigos de precios y referencias deben verificarse ya que puede haber errores tipográficos.

Es recomendable consultar la web ya que cualquier producto de ese catálogo puede sufrir cambios en códigos de venta, formatos, packing,.

On the website you can also find the technical specifications, installation suggestions, merchandising elements and a variety of room scene pictures for each of the collections.

En la web también pueden consultar las características técnicas, consejos de colocación , elementos de merchandising o los diversos ambientes de cada una de las colecciones.

C/ Luxemburgo, 46
12006 Castellón
(Spain)

Via Carazzoli, 17-19
Fiorano Modenese, Modena
(Italy)

T. +34 964 340 434
apegrupo@apegrupo.com
apegrupo.com